

**MINUTES OF THE REGULAR MEETING
OF THE MAYOR AND BOARD OF ALDERMEN
The City of Starkville, Mississippi
January 2, 2018**

Be it remembered that the Mayor and Board of Alderman met in a Regular Meeting on January 2, 2018 at 5:30 p.m. in the Courtroom of City Hall, located at 110 West Main Street, Starkville, MS. Present were Mayor Lynn Spruill, Aldermen Ben Carver, Sandra Sistrunk, David Little, Jason Walker, Patrick Miller, Roy A.' Perkins and Henry Vaughn, Sr. Attending the Board were City Clerk / CFO Lesa Hardin and City Attorney Chris Latimer.

Mayor Lynn Spruill opened the meeting with the Pledge of Allegiance followed by a moment of silence.

Mayor Lynn Spruill welcomed everyone to the first meeting of 2018 and asked for any revisions to the Official Agenda.

REQUESTED REVISIONS TO THE OFFICIAL AGENDA:

Alderman Perkins requested Item XI. C. 1. Claims Docket be removed from the consent agenda.

1. A MOTION TO APPROVE THE AGENDA WITH CONSENT ITEMS.

Alderman Carver offered a motion, duly seconded by Alderman Little, to approve the January 2, 2018 Agenda. Mayor Spruill then read the consented items after which the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Yea
Alderman Henry Vaughn, Sr.	Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion carried.

**OFFICIAL AGENDA OF
THE MAYOR AND BOARD OF ALDERMEN
OF THE
CITY OF STARKVILLE, MISSISSIPPI**

REGULAR MEETING OF TUESDAY, JANUARY 2, 2018
5:30 P.M., COURT ROOM, CITY HALL
110 WEST MAIN STREET

- I. CALL THE MEETING TO ORDER**
- II. PLEDGE OF ALLEGIANCE AND A MOMENT OF SILENCE**
- III. APPROVAL OF THE OFFICIAL AGENDA INCLUDING CONSENTED ITEMS**

IV. APPROVAL OF THE BOARD OF ALDERMEN MINUTES

CONSIDERATION OF THE MINUTES OF DECEMBER 5, 2017 MEETING OF THE MAYOR AND BOARD OF ALDERMEN OF THE CITY OF STARKVILLE, MS.

CONSIDERATION OF THE MINUTES OF DECEMBER 15, 2017 MEETING OF THE MAYOR AND BOARD OF ALDERMEN OF THE CITY OF STARKVILLE, MS.

V. ANNOUNCEMENTS AND COMMENTS

A. MAYOR'S COMMENTS: Recognition of Starkville Lady Yellowjackets as the 2016 – 2017 Class 6A State Basketball Champions.

B. BOARD OF ALDERMEN COMMENTS:

VI. CITIZEN COMMENTS

VII. PUBLIC APPEARANCES

VIII. PUBLIC HEARING

IX. MAYOR'S BUSINESS

A. AUTHORIZATION TO APPLY FOR A TRANSPORTATION ALTERNATIVES PROGRAM (TAP) GRANT FOR THE LINKAGE MULTI-USE PATH PROJECT AND COMMITMENT OF PROVIDING FUTURE MATCHING FUNDS SHOULD THE GRANT BE AWARDED BY MDOT, AND AUTHORIZATION FOR THE MAYOR TO SIGN ALL MDOT AND FHWA RELATED DOCUMENTS TO COMPLETE THE APPLICATION AND INITIATE THE PROJECT, IF AWARDED.

B. CONSIDERATION OF AUTHORIZING PAVING USING DBST/CHIP SEAL AND SOIL CEMENT BASE FOR THE FOUR (4) NEWLY ACCEPTED (2017) ROADS, HENDRIX ROAD, ROUNDHOUSE ROAD, FANNIE DALE ROAD AND TREASURE LANE DURING THE 2018/2019 FISCAL CAPITAL IMPROVEMENT PROJECT YEAR.

C. CONSIDERATION OF APPROVING APPLICATIONS FOR WALMART GRANT FOR ENHANCING PUBLIC SAFETY IN THE CITY OF STARKVILLE.

X. BOARD BUSINESS

A. DISCUSS AND CONSIDER APPROVAL OF FY 2017-18 SALARY ADJUSTMENTS FOR EMPLOYEES IDENTIFIED IN PHASE 1 THAT RESULTED FROM THE PAY STUDY TO BE EFFECTIVE AT THE PAY PERIOD BEGINNING JANUARY 19, 2018.

XI. DEPARTMENT BUSINESS

A. AIRPORT

THERE ARE NO ITEMS FOR THIS AGENDA

B. COMMUNITY DEVELOPMENT DEPARTMENT

1. CODE ENFORCEMENT

THERE ARE NO ITEMS FOR THIS AGENDA

2. PLANNING

THERE ARE NO ITEMS FOR THIS AGENDA

C. COURTS

THERE ARE NO ITEMS FOR THIS AGENDA

D. ENGINEERING

1. REQUEST APPROVAL OF GARVER AS THE PREFERRED CONSULTANT FOR THE MILL STREET ARC PROJECT (PROJECT #MS-18956) AND AUTHORIZATION FOR THE MAYOR TO NEGOTIATE AND EXECUTE AN ENGINEERING CONSULTANT CONTRACT IN ACCORDANCE WITH MISSISSIPPI PROCUREMENT PROCEDURES, ARC GUIDELINES AND UPON REVIEW AND APPROVAL OF THE CITY ATTORNEY.

E. FINANCE AND ADMINISTRATION

1. REQUEST APPROVAL OF THE CITY OF STARKVILLE CLAIMS DOCKET FOR ALL DEPARTMENTS INCLUDING STARKVILLE UTILITIES DEPARTMENT AS OF DECEMBER 28, 2017 FOR FISCAL YEAR ENDING 9/30/18, ACKNOWLEDGING THAT THE CITY CLERK HAS ATTESTED AND CERTIFIED ON THE COVER OF THE CLAIMS DOCKET THAT ALL CLAIMS ON THE DOCKET ARE TRUE, ACCURATE, LAWFUL AND PROPER TO THE BEST OF HER KNOWLEDGE, FOR PAYMENT PURSUANT TO HER DUTIES UNDER MISS. CODE SECTIONS 21-39-5, 21-39-7, 21-39-9, 21-39-17 AND 21-15-21.

F. FIRE DEPARTMENT

THERE ARE NO ITEMS FOR THIS AGENDA

G. HUMAN RESOURCES

THERE ARE NO ITEMS FOR THIS AGENDA

H. INFORMATION TECHNOLOGY

THERE ARE NO ITEMS FOR THIS AGENDA

I. PARKS

THERE ARE NO ITEMS FOR THIS AGENDA

J. POLICE DEPARTMENT

1. CONSIDERATION TO APPLY FOR FY19 POLICE TRAFFIC SAFETY GRANT FUNDING IN THE AMOUNT \$16,000.00 IN 100% REIMBURSABLE FUNDS IN THE AREA OF OVERTIME FOR TRAFFIC ENFORCEMENT, DEDICATED TO SEATBELT, CHILD RESTRAINT AND SPEEDING ENFORCEMENT.
2. CONSIDERATION TO APPLY FOR FY19 DUI GRANT FUNDING IN THE AMOUNT OF \$85,431.52 IN 100% REIMBURSABLE FUNDS IN THE AREA OF SALARY FOR TWO DUI OFFICERS, OVERTIME FOR DUI ENFORCEMENT, AND TRAVEL FOR DUI RELATED TRAINING.
3. CONSIDERATION TO ADD THE FOLLOWING TASER'S TO CITY INVENTORY: SERIAL # X130060RK, SERIAL# X13006ITC AND SERIAL# X130061HK.

K. SANITATION DEPARTMENT

THERE ARE NO ITEMS FOR THIS AGENDA

L. UTILITIES DEPARTMENT

1. CONSIDERATION OF APPROVAL TO ACCEPT THE LOWEST AND BEST BIDS RECEIVED FOR THE JANUARY 1, 2018 THROUGH JUNE 30, 2018 SOURCE OF SUPPLY LISTING FOR STARKVILLE UTILITIES – ELECTRIC DIVISION.

XII. CLOSED DETERMINATION SESSION

XIII. OPEN SESSION

XIV. EXECUTIVE SESSION

A. PERSONNEL

XV. OPEN SESSION

XVI. RECESS UNTIL JANUARY 16, 2018 @ 5:30 IN THE COURT ROOM AT 110 WEST MAIN STREET.

The City of Starkville is accessible to persons with disabilities. Please call the ADA Coordinator, Joyner Williams, at (662) 323-2525, ext. 3121 at least forty-eight (48) hours in advance for any services requested.

Consent items 2 – 11:

2. CONSIDERATION OF THE MINUTES OF THE DECEMBER 5, 2017 MEETING OF THE MAYOR AND BOARD OF ALDERMEN OF THE CITY OF STARKVILLE.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of the December 5, 2017 meeting of the Mayor and Board of Aldermen of the City of Starkville, MS” is enumerated, this consent item is thereby approved.

3. CONSIDERATION OF THE MINUTES OF THE DECEMBER 15, 2017 MEETING OF THE MAYOR AND BOARD OF ALDERMEN OF THE CITY OF STARKVILLE.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of the December 15, 2017 meeting of the Mayor and Board of Aldermen of the City of Starkville, MS” is enumerated, this consent item is thereby approved.

4. CONSIDERATION OF AUTHORIZATION TO APPLY FOR A TRANSPORTATION ALTERNATIVES PROGRAM (TAP) GRANT FOR THE LINKAGE MULTI-USE PATH PROJECT AND COMMITMENT OF PROVIDING FUTURE MATCHING FUNDS SHOULD THE GRANT BE AWARDED BY MDOT, AND AUTHORIZATION FOR THE MAYOR TO SIGN ALL MDOT AND FHWA RELATED DOCUMENTS TO COMPLETE THE APPLICATION AND INITIATE THE PROJECT, IF AWARDED.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda as revised, and to accept items for consent, whereby the “approval of the authorization to apply for a Transportation Alternatives Program (TAP) grant for the Linkage Multi-use path project and commitment of providing future matching funds should the grant be awarded by MDOT, and authorization for the Mayor to sign all MDOT and FHWA related documents to complete the application and initiate the project, if awarded” is enumerated, this consent item is thereby approved.

The City of Starkville, Oktibbeha County Board of Supervisors, and Mississippi State University are considering pursuing a joint Transportation Alternatives Project (TAP) Grant which will involve a multi-use path (bike and pedestrian) connections on Bully Boulevard, Blackjack Road, and Stone Boulevard. The proposed improvements would include a 10’ multi-use path separated by a shoulder with a possible merging into the roadway at the northern end of Blackjack, depending on roadway width and design requirements.

Mississippi State University and Oktibbeha County have been included in the project concept discussions and they are supportive of the project and the route. Alternative routes to connect to MSU were evaluated; however, this was the most feasible route considering the compressed timeline.

This round of TAP grants require the local share include all engineering design costs as well as a 20% local match of the other eligible costs (construction, construction engineering, inspection and contingencies). The preliminary cost estimate totals approximately \$2.1M which includes an approximate \$600,000 local match along with \$1.5M of Federal funds.

The City has proposed that all three entities partner in providing the total match, which is a similar arrangement to the Locksley Way Project. This would obligate each entity to approximately \$200,000.

5. CONSIDERATION OF AUTHORIZING PAVING USING DBST/CHIP SEAL AND SOIL CEMENT BASE FOR THE FOUR (4) NEWLY ACCEPTED (2017) ROADS, HENDRIX ROAD, ROUNDHOUSE ROAD, FANNIE DALE ROAD AND TREASURE LANE DURING THE 2018/2019 FISCAL CAPITAL IMPROVEMENT PROJECT YEAR.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “authorization of paving using DBST / Chip seal and soil cement base for the four (4) newly accepted (2017) roads, Hendrix Road, Roundhouse Road, Fannie Dale Road and Treasure Lane during the 2018/2019 fiscal capital improvement project year” is enumerated, this consent item is thereby approved.

6. CONSIDERATION OF APPROVING APPLICATIONS FOR WALMART GRANT FOR ENHANCING PUBLIC SAFETY IN THE CITY OF STARKVILLE.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of the submission of applications for Wal-Mart Community Grant(s) for enhancing public safety” is enumerated, this consent item is thereby approved. Grants range from \$250 - \$2,500 each.

7. CONSIDERATION OF APPROVAL OF GARVER AS THE PREFERRED CONSULTANT FOR THE MILL STREET ARC PROJECT (PROJECT #MS-18956) AND AUTHORIZATION FOR THE MAYOR TO NEGOTIATE AND EXECUTE AN ENGINEERING CONSULTANT CONTRACT IN ACCORDANCE WITH MISSISSIPPI PROCUREMENT PROCEDURES, ARC GUIDELINES AND UPON REVIEW AND APPROVAL OF THE CITY ATTORNEY.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of Garver as the preferred consultant for the Mill Street ARC project (Project #MS-18956) and authorization for the Mayor to negotiate and execute an engineering consultant contract in accordance with Mississippi procurement procedures, ARC guidelines and upon review and approval of the City Attorney” is enumerated, this consent item is thereby approved.

The City of Starkville was awarded an ARC grant to improve Mill Street providing improved roadway, pedestrian, pavement surface and safety enhancements. Golden Triangle PDD has been coordinating and completed the Environmental review for the project. The City solicited proposals from interested firms via a publicly advertised RFP.

The City received proposals from two firms- Garver and Neel Schaffer. The proposals were reviewed and scored by City and GTPDD staff. A copy of the scoresheet follows. According to the scoring criteria and submitted information, it was a consensus that Garver best responded to the proposal request. A copy of each proposal is available for viewing in the City Clerks office.

ENGINEERING PROPOSALS
Scoresheet- Averaged
City of Starkville
FY2017 Mill Street - ARC Project #MS-18956

NAME	QUALIFICATIONS (40 MAXIMUM)	EXPERIENCE (30 MAXIMUM)	CAPACITY (30 MAXIMUM)	TOTAL 100 MAXIMUM	COMMENTS
Garver Jackson, MS	39.5	29	27.5	96	
Neel-Schaffer Engineering Starkville, MS	35	28	27.5	90.5	

- (1) Demonstrated Competence and Qualifications – Provide a resume for each principal member, project engineer & employee(s) of the firm anticipated to be assigned to this project. (40 points)
- (2) Past Performance and Experience of Similar Projects – Information regarding the experience of the firm on recent projects as well as knowledge of the City of Starkville's roadway and pedestrian improvements and standards. (30 points)
- (3) Capacity for Performance – Experience, performance and qualifications of the team's Project Engineer and Lead Inspectors. (30 points)

REQUEST FOR PROPOSALS

The City of Starkville will accept sealed proposals from qualified firms and individuals interested in providing Survey, Engineering and Inspection Services for a proposed street improvements project which will construct/reconstruct vehicular and pedestrian facilities and upgrade storm water drainage pipes and inlets, utilizing Appalachian Regional Commission (ARC) Grant funds.

Engineering Services required include, but are not limited to, surveying, geotechnical investigation, project design, administration and construction supervision, preparation of specifications, supervision of bid procedures and resident inspection of the project, which consists of roadway improvements, sidewalk installation, site lighting and storm drainage replacement on Mill Street. The contract will be on a fixed price basis.

To be considered, the proposal must respond to all requirements of this Legal Advertisement. The recommended proposal length should not exceed 25 pages, exclusive of appendices. The resumes (which should not exceed two (2) pages per individual in length), SF-330 Part II, proof of State Licensure and certificates requirements, and other information not relevant to the requirements should be included in the appendices. The Consultant's cover letter, table of contents, summaries and introductions, team organizational chart, past performances and any other responses to the evaluation criteria should be included in the 25 pages. Pages should be numbered, single-spaces, one-sided, 8.5" by 11" with margins of at least one-inch on all four sides. No more than five (5) pages may be 11" by 17", but they may count as two (2) sheets each against the recommended 25 page maximum. Information within the recommended 25 page limit of the proposal should be complete and sufficient in scope for the selection committee to evaluate the Consultant.

Award of the aforementioned contract will be made to the responsible party whose proposal is most advantageous to the City of Starkville. Proposals will be rated according to the following criteria: 1) Demonstrated Competence and Qualifications of the Firm and Staff – Provide a resume for each principal member, project engineer and employee(s) of the firm anticipated to be assigned to this project; 2) Past Performance and Experience of similar projects – Information regarding the experience of the firm on recent (past 3 years) projects as well as knowledge of the City of Starkville's roadway and pedestrian improvements and standards; 3) Experience, performance and qualifications of the team's Project Engineer and Lead Inspector(s). All proposals will be rated on the following system to determine the best offeror. Description and Maximum Points: Demonstrated Competence and Qualifications of the Firm and Staff – 40; Past Performance and Experience of similar projects – 30; Experience, performance and qualifications of the team's Project Engineer and Lead Inspector(s) – 30; Total - 100 Points. Cost is not a factor in the selection process and should not be a part of the proposal. Cost will be negotiated with the firm or individual receiving the highest rating according to the stated criteria

The selection committee using the above selection criteria will review proposals. Each member of the committee will assign points to each criteria based on the content of the proposal. Negotiations will be conducted to determine a mutually satisfactory contract, first with the firm receiving the highest accumulated points, as rated by the committee. If a mutually satisfactory contract cannot be negotiated with the firm, the firm will be requested to submit a best and final offer in writing. If a contract cannot be reached after this best and final offer, negotiations with that firm will be terminated and negotiations will be initiated with subsequently listed firms in order of rating. This procedure will be continued until a mutually satisfactory contract has been negotiated. In addition to reaching a fair and reasonable price for the required work, the objective of negotiations will be to reach an agreement on the provisions of the proposed contract including scope and extent of work and other essential requirements.

Interested parties are invited to submit sealed proposals, five (5) copies, until 2:00 PM, Thursday, December 7, 2017 in the Office of the City Clerk of Starkville, Attention: Lesa Hardin, 110 West Main Street, Starkville, Mississippi 39759. All proposals should be marked clearly as being a Surveying, Engineering and Inspection Services Proposal – ARC Mill Street Improvements. All questions pertaining to this project should be directed to Phylis Benson, Golden Triangle Planning and Development District, P. O. Box 828, Starkville, MS 39760 or 662/320-2007. City of Starkville does not discriminate on the basis of race, color, religion, sex age or national origin and reserves the right to reject any and all proposals.

Lynn Spruill, Mayor

Publish: November 24, 2017

8. CONSIDERATION TO APPLY FOR FY19 POLICE TRAFFIC SAFETY GRANT FUNDING IN THE AMOUNT \$16,000.00 IN 100% REIMBURSABLE FUNDS IN THE AREA OF OVERTIME FOR TRAFFIC ENFORCEMENT, DEDICATED TO SEATBELT, CHILD RESTRAINT AND SPEEDING ENFORCEMENT.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of authorization to allow the Starkville Police Department to apply for funding with the Office of Highway Safety in the area of Traffic Enforcement up to \$16,000.00 in 100% reimbursable funds in the area of Overtime for Traffic Enforcement, dedicated to Seatbelt, Child Restraint and Speeding Enforcement” is enumerated, this consent item is thereby approved.

9. CONSIDERATION TO APPLY FOR FY19 DUI GRANT FUNDING IN THE AMOUNT OF \$85,431.52 IN 100% REIMBURSABLE FUNDS IN THE AREA OF SALARY FOR TWO DUI OFFICERS, OVERTIME FOR DUI ENFORCEMENT, AND TRAVEL FOR DUI RELATED TRAINING.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval of authorization to allow the Starkville Police Department to apply for funding with the Office of Highway Safety in the area of DUI Enforcement up to \$85,431.52 in 100% reimbursable funds in the area of Salary for two DUI Officers, overtime for DUI Enforcement, and Travel for DUI related training” is enumerated, this consent item is thereby approved.

10. CONSIDERATION TO ADD THE FOLLOWING TASER’S TO CITY INVENTORY: SERIAL # X130060RK, SERIAL# X13006ITC AND SERIAL# X130061HK.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval to add the following tasers to City inventory: Serial # X130060RK, Serial# X13006I TC, Serial# X130061HK” is enumerated, this consent item is thereby approved.

11. CONSIDERATION OF APPROVAL TO ACCEPT THE LOWEST AND BEST BIDS RECEIVED FOR THE JANUARY 1, 2018 THROUGH JUNE 30, 2018 SOURCE OF SUPPLY LISTING FOR STARKVILLE UTILITIES – ELECTRIC DIVISION.

Upon the motion of Alderman Carver, duly seconded by Alderman Little, and adopted by the Board to approve the January 2, 2018 Official Agenda, and to accept items for consent, whereby the “approval to accept the lowest and best bids received for the January 1, 2018 through June 30, 2018 source of supply listing for Starkville Utilities – Electric Division” is enumerated, this consent item is thereby approved.

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Cross Arms			
F'glass 15" Vertical Single Phase Pin Ins Bracket			
2" x 18" Maclean GHDA118DV1 or Hughes CF630A-18 or Chance 1SBH18V1 or Eq.	GRESKO Utility Supply, Inc. \$48.00	Utilicor/Border States \$49.45	Arkansas Electric Cooperative, Inc. \$50.48
F'glass Vertical Two Phase Pin Ins Bracket			
2" x 48" Maclean G2HDA248DV1, Chance 2SBH48V1 or Hughes CF861A-48 or Eq.	GRESKO Utility Supply, Inc. \$97.00	Garner-Lumley Electric Supply Co. \$99.00	Irbby \$101.66
Wooden Cross Arms			
3 3/4" x 4 3/4" x 8 ft.	GRESKO Utility Supply, Inc. \$34.00	Utility Power, Inc. \$35.67	Irbby \$37.12
3 3/4" x 4 3/4" x 10 ft.	GRESKO Utility Supply, Inc. \$42.00	Utility Power, Inc. \$46.73	Arkansas Electric Cooperative, Inc. \$47.30
Braceless Deadend Crossarm Assemblies			
5 ft. Pupi Deadend Assembly, 12 Inch Pole Space, Double Guy Attachment, 2000 Series Beam, Eye Nuts Front and Back Side, 2 Deadend Drilled Positions, Gray Color, Pupi Pad # DA2000-060-E2-SPX2 Only	GRESKO Utility Supply, Inc. \$140.00	Utilicor/Border States \$142.80	Garner-Lumley Electric Supply Co. \$146.00
8 ft. Pupi Deadend Assembly, 12 Inch Pole Space, Double Guy Attachment, 2500 Series Beam, Eye Nuts Front and Back Side, 2 Deadend Drilled Positions, Gray Color, Pupi Pad # DA2500-096-E3-B7X2 Only	Garner-Lumley Electric Supply Co. \$178.00	GRESKO Utility Supply, Inc. \$178.00	Utilicor/Border States \$185.70
10 ft. Pupi Deadend Assembly, 12 Inch Pole Space, Double Guy Attachment, 3000 Series Beam, Eye Nuts Front and Back Side, 4 Deadend Drilled Positions, Gray Color, Pupi Pad # DA3000-120-E4-B9X2 Only	GRESKO Utility Supply, Inc. \$249.00	Utilicor/Border States \$256.50	Arkansas Electric Cooperative, Inc. \$256.65
Braceless Tangent Arms			
5 ft. Pupi Tangent Crossarm, 8-10-12 Inch Pole Space, 3000 Beam Series, REA 04 Drill Spec, Gray, Part # TB2000-060-SPX2 or Eq.	GRESKO Utility Supply, Inc. \$107.00	Arkansas Electric Cooperative, Inc. \$108.70	Utilicor/Border States \$110.00
8 ft. Pupi Tangent Crossarm, 8-10-12 Inch Pole Space, 3000 Beam Series, REA 04 Drill Spec, Gray, Part # TB3000-096-04X2 or Eq.	Irbby \$138.68	GRESKO Utility Supply, Inc. \$142.00	Utilicor/Border States \$147.45
10 ft. Pupi Tangent Crossarm, 8-10-12 Inch Pole Space, 3000 Beam Series, REA 05 Drill Spec, Gray, Part # TB3000-120-05X2 or Eq.	GRESKO Utility Supply, Inc. \$168.00	Arkansas Electric Cooperative, Inc. \$173.30	Irbby \$178.20
0° Three Phase Cutout/Arrestor Bracket			
Fiberglass 0 degree 3-phase cutout/arrestor bracket, Maclean G3MA024818DCB, Hughes CF670-48-18 or Hubbell 3SBM4818CTB or Eq.	Irbby \$83.06	GRESKO Utility Supply, Inc. \$84.00	Garner-Lumley Electric Supply Co. \$89.00
0° Single Phase Cutout/Arrestor Bracket			
Fiberglass 0 degree 1-phase cutout/arrestor bracket, Maclean G1MA0118DCB, Hughes CF667B-18, Alumna-Form F1CA-MV-H18-S1-H or Hubbell 1SBM18CTB or Eq.	GRESKO Utility Supply, Inc. \$19.35	Irbby \$21.47	Arkansas Electric Cooperative, Inc. \$22.20
Cross Strap for Cutout/Arrestor Bracket			
Cross Strap for Cutout/Arrestor Bracket, Chance C2060190, Hughes CF759 or Eq.	Utilicor/Border States \$9.65	Arkansas Electric Cooperative, Inc. \$9.70	#N/A \$9.70

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Primary / Secondary Hardware			
Aluminum Straight Line Spring-Loaded D.E. Clamp, Type ADEZ, Anderson or Eq.			
ADEZ-70-N 4 to 40 ACSR	Arkansas Electric Cooperative, Inc	Utilicor/Border States	Irby
ADEZ-116-N 336.4 to 954 ACSR	GRESKO Utility Supply, Inc.	Utilicor/Border States	Irby
Aluminum Angle Suspension Clamp, Anderson or Eq.			
AAC - 301 0.198 to 0.732 in.	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
HAS - 118 - C 0.70 to 1.18 in.	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Aluminum Mechanical Stirrup, Type AHL, Anderson, Richards or Eq.			
AHL - 024019 - E 4 to 40 ACSR	Utilicor/Border States	Irby	Arkansas Electric Cooperative, Inc
AHL-954022-E or ASC-1000 336.4 to 954 ACSR	Garner-Lumley Electric Supply Co.	Irby	Utilicor/Border States
Bronze Hot Line Clamp, Anderson, Richards or Eq.			
BC - 210 or BHL-100 0.128 to 0.414 in.	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Aluminum Hot Line Clamp, Anderson, Richards or Eq.			
S1530AGP or AHL-300TN 0.157 to 0.905 in.	GRESKO Utility Supply, Inc.	Irby	Utilicor/Border States
S1545AGP 0.939 to 1.490 in.	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Utility Power, Inc.
Clevite Type Suspension Insulators, Porcelain Products or Eq.			
ANSI Class 52-9A. Lapp 6815-70E or RUS Approved EQ.	GRESKO Utility Supply, Inc.	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Silicone Rubber Insulators			
Distribution Deadend Insulator, Silicone Housing with Fiberglass Core. 35 kV. ANSI 52-4 Clevite and Tongue End Fittings. Maclean Power Systems DS-35M or RUS Approved Equivalent. Housing Must be Silicone Rubber - NO EPDM.	GRESKO Utility Supply, Inc.	Irby	Garner-Lumley Electric Supply Co.
Pin Insulators, F Neck, 1" Thread 15KV, ANSI Class 55-4.			
ANSI Class 55-4. NGK-Locke Cat # HRAP - 175, Porcelain Products Cat # 366-S or RUS Approved Eq.	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.	Irby
Transformer Mounting Bracket, Chance or Eq.			
Chance Cat # DT6C1	Arkansas Electric Cooperative, Inc	Utilicor/Border States	Irby
Chance Cat # DT7C1	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Conduit Standoff Brackets			
Pelco Cat # SP-6060-12-PNC	Garner-Lumley Electric Supply Co.	NO	NO
Pelco Cat # SP-6060-24-PNC	Garner-Lumley Electric Supply Co.	NO	NO
Aluma-Form # 9-CSO-12	GRESKO Utility Supply, Inc.	Arkansas Electric Cooperative, Inc	Garner-Lumley Electric Supply Co.
Aluma-Form # 9-CSO-24	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
Conduit Strap Kits, Chance or Eq.			
Cat # CSTK - 2; 2 inch strap	Arkansas Electric Cooperative, Inc	Irby	GRESKO Utility Supply, Inc.
Cat # CSTK - 3; 3 inch strap	Arkansas Electric Cooperative, Inc	Irby	GRESKO Utility Supply, Inc.
Cat # CSTK - 4; 4 inch strap	Irby	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.
Cat # CSTK - 6; 6 inch strap	Irby	GRESKO Utility Supply, Inc.	Utilicor/Border States

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description		LOW BID		1st Alternate		2nd Alternate	
General Use Bronze Connectors							
Anderson/Fargo Vise Type Ground Clamp, Cat # GC - 207		Arkansas Electric Cooperative, Inc	\$4.00	Utilicor/Border States	\$4.41	Irby	\$4.56
Anderson/Fargo Bronze Parallel Groove Clamp, Cat # LC - 1602 or Dossert CU40-17		Garner-Lumley Electric Supply Co.	\$15.40	Irby	\$16.04	Arkansas Electric Cooperative, Inc	\$19.51
Anderson/Fargo Bronze Terminal, 2-Hole Flat to Cable 1/0 - 500 Range, Cat # SWL - 050 - B2 or Dossert TCV50-2N		Utilicor/Border States	\$26.29	Arkansas Electric Cooperative, Inc	\$28.73	Irby	\$31.41
Anderson/Fargo Bronze Terminal with 90 Degree Angle, 2-Hole Flat to Cable 1/0 - 500 Range, Cat # SWL - 050 - B2-Y90 or Dossert TCV450-2N-90.		Utilicor/Border States	\$47.08	Arkansas Electric Cooperative, Inc	\$47.19	Irby	\$51.61
Aluminum Overhead Line Automatic Splice, Full Tension, MacClean Only							
4 - 2 ACSR Cat # 7652AP-VIP		Arkansas Electric Cooperative, Inc	\$6.19	Utilicor/Border States	\$6.25	GESCO Utility Supply, Inc.	\$6.40
1/0 ACSR Cat #7653-VIP		GESCO Utility Supply, Inc.	\$7.60	Irby	\$8.44	Arkansas Electric Cooperative, Inc	\$13.94
3/0 - 4/0 ACSR Cat # 7656AP-VIP		GESCO Utility Supply, Inc.	\$15.60	Irby	\$17.06	Arkansas Electric Cooperative, Inc	\$19.49
336.4 kmilil ACSR Cat # 7658AP-VIP		GESCO Utility Supply, Inc.	\$17.35	Utilicor/Border States	\$19.26	Arkansas Electric Cooperative, Inc	\$19.58
477 kmil ACSR CAT # 7659-VIP		GESCO Utility Supply, Inc.	\$22.95	Irby	\$25.65	Utilicor/Border States	\$25.86
Impact Aluminum Taps for ACSR; Ampact Brand Only.							
795 - 795 #602121		GESCO Utility Supply, Inc.	\$30.35	Irby	\$31.94	Arkansas Electric Cooperative, Inc	\$67.12
795 - 336.4 # - 602121-6		GESCO Utility Supply, Inc.	\$30.35	Irby	\$31.94	Arkansas Electric Cooperative, Inc	\$65.91
477 - 477 #1-602031-3		GESCO Utility Supply, Inc.	\$13.90	Irby	\$14.32	Arkansas Electric Cooperative, Inc	\$19.37
477 - 336.4 #1-602031-4		GESCO Utility Supply, Inc.	\$13.90	Irby	\$14.32	Arkansas Electric Cooperative, Inc	\$30.98
477 - 4/0 #1-602031-6		GESCO Utility Supply, Inc.	\$13.95	Irby	\$14.32	Arkansas Electric Cooperative, Inc	\$17.34
477 - 1/0 #602031-9		GESCO Utility Supply, Inc.	\$13.95	Irby	\$14.32	Arkansas Electric Cooperative, Inc	\$31.61
336.4 - 336.4 #602007		GESCO Utility Supply, Inc.	\$12.75	Irby	\$13.16	Arkansas Electric Cooperative, Inc	\$16.06
336.4 - 4/0 #602004		GESCO Utility Supply, Inc.	\$12.75	Irby	\$12.89	Arkansas Electric Cooperative, Inc	\$15.51
336.4 - 2/0 #602002		GESCO Utility Supply, Inc.	\$12.75	Irby	\$12.89	Arkansas Electric Cooperative, Inc	\$15.82
336.4 - 1/0 #602001		GESCO Utility Supply, Inc.	\$12.75	Irby	\$16.90	Arkansas Electric Cooperative, Inc	\$29.96
336.4 - 1/0 Copper #602001		GESCO Utility Supply, Inc.	\$12.75	Irby	\$12.89	Arkansas Electric Cooperative, Inc	\$15.82
4/0 - 4/0 #600466		GESCO Utility Supply, Inc.	\$2.60	Arkansas Electric Cooperative, Inc	\$2.84	Irby	\$3.07
4/0 - 1/0 #600458		GESCO Utility Supply, Inc.	\$2.60	Arkansas Electric Cooperative, Inc	\$2.96	Irby	\$3.05
1/0 - 1/0 #600403		GESCO Utility Supply, Inc.	\$2.60	Arkansas Electric Cooperative, Inc	\$2.90	Irby	\$3.05
4/0 - #2 #600411		GESCO Utility Supply, Inc.	\$2.60	Arkansas Electric Cooperative, Inc	\$2.91	Irby	\$3.05
Shells, Yellow		GESCO Utility Supply, Inc.	\$1.50	Irby	\$1.63	Arkansas Electric Cooperative, Inc	\$1.84
Shells, Blue		GESCO Utility Supply, Inc.	\$1.50	Irby	\$1.63	Arkansas Electric Cooperative, Inc	\$1.84

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Burndy Dieless Hypress Range Taking Conn & Accessories			
Hyplug Type YA-A Uninsulated Compression Terminal. Cat# YA2CA9 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
Hyplug Type YA-A Uninsulated Compression Terminal. Cat# YA2BA5 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
Hyplug Type YA-A Uninsulated Compression Terminal. Cat# YA3A43 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
Hyplug Type YA-A Uninsulated Compression Terminal. Cat# YA3A5 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
Hyplug Type YA-A Uninsulated Compression Terminal. Cat# YA4A43 Only	Arkansas Electric Cooperative, Inc	Irby	Utilicor/Border States
Hylink Uninsulated Compression Splice. Cat# YS2CA1 Only	Arkansas Electric Cooperative, Inc	Irby	Utilicor/Border States
Hylink Uninsulated Compression Splice. Cat# YS2BA1 Only	Arkansas Electric Cooperative, Inc	Irby	Utilicor/Border States
Hylink Uninsulated Compression Splice. Cat# YS3A41 Only	Irby	Arkansas Electric Cooperative, Inc	Utilicor/Border States
Hylink Uninsulated Compression Splice. Cat# YS3A1 Only	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Hylink Uninsulated Compression Splice. Cat# YS4A1 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Arkansas Electric Cooperative, Inc
Hystack Terminal Stacking Adapter. Cat# ASA250U Only	Irby	Utilicor/Border States	Irby
Hystack Terminal Stacking Adapter. Cat# ASA800U Only	Arkansas Electric Cooperative, Inc	Irby	Arkansas Electric Cooperative, Inc
Hystack Terminal Stacking Adapter. Cat# ASA1000U Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Utilicor/Border States
Hyplug Pin Terminal. Cat# AYP2 Only	Arkansas Electric Cooperative, Inc	Arkansas Electric Cooperative, Inc	Irby
Hyplug Pin Terminal. Cat# AYP040 Only	Arkansas Electric Cooperative, Inc	Utilicor/Border States	Irby
Hyplug Pin Terminal. Cat# AYP0500 Only	Arkansas Electric Cooperative, Inc	Arkansas Electric Cooperative, Inc	Irby
Hyplug Pin Terminal. Cat# AYP750 Only	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
URD Transformer Secondary Connector	Utilicor/Border States	Arkansas Electric Cooperative, Inc	Irby
Universal Stud Mount Disconnectable Secondary Connector. Accepts both 5/8" and 1" Transformer Studs, #12-350MCM Conductor. Homac Part #ZWM4023EZSL. Homac Only	Garner-Lumley Electric Supply Co.	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.
Pole Top Pin			
Pole Top Pin, 20 Inch, 1 Inch Insulator Nylon Threads, Joslyn Cat #J740Z, Hubbell Cat # 2198P, or EQ.	GRESKO Utility Supply, Inc.	Irby	Arkansas Electric Cooperative, Inc
Ridge Pin, (Pole Top Pin), Fiberglass, 1 Inch Insulator. Chance RPH211 OR Joslyn 7781-621 or Eq.	Irby	Utilicor/Border States	Arkansas Electric Cooperative, Inc
Pole Banding Systems			
Aluma-Form Bolt-A-Band Standard Length Single Band, 5/8 Hdwe, 48 in. Length, Part BAB-5848 Only.	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
Aluma-Form Bolt-A-Band Standard Length Double Band, 5/8 Hdwe, 48 in. Length, Part BAB-5848-2 Only.	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
All Purpose Mounting Bracket			
Aluma-Form All Purpose Mounting Bracket, Heavy-Duty Mount with Grade 5, 5/8 x 3 Bolt. Part HDBB-1511-H3H Only.	Irby	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.

Jan - June 2018 STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Guy Wire And Related Equipment			
Fiberglass Guy Strain Insulator, 15,000 Lb or Greater.			
Maclean Cat # GCTE - 15-144, Hubbell GS16144CP or Aluma-Form FGS16-144CT	GRESKO Utility Supply, Inc. \$20.65	Garner-Lumley Electric Supply Co. \$21.60	Irby \$23.90
Maclean Cat # GCTE - 15-12, Hubbell GS16012CP or Aluma-Form FGS16-12CT.	GRESKO Utility Supply, Inc. \$9.15	Garner-Lumley Electric Supply Co. \$9.80	Irby \$9.95
PISA Anchor Helix Assembly			
Single Helix 10 in Diameter for 3/4 in Rod, 1-3/8 in Core. Chance Cat # E1021633 or MacLean MDS-D104-6.	GRESKO Utility Supply, Inc. \$20.80	Utilicor/Border States \$20.95	Irby \$21.91
Twin Helix 10 in Diameter for 3/4 in Rod, 1-3/8 in Core. Chance Cat # E1021637 or MacLean MDS-D104-2-6.	GRESKO Utility Supply, Inc. \$51.80	Utilicor/Border States \$53.48	Arkansas Electric Cooperative, Inc. \$57.34
Chance PISA or MacLean, 3/4 In. X 7 ft. Rod & Twineye Nut. Chance Cat # E1020044 or MacLean MDS D75D.	Irby \$18.05	GRESKO Utility Supply, Inc. \$18.35	Utilicor/Border States \$18.47
Bust Expanding Anchor			
Chance Bust Expanding Anchor, Galvanized, Cat # 88135G.	Arkansas Electric Cooperative, Inc. \$12.34	GRESKO Utility Supply, Inc. \$25.00	#N/A \$25.00
Chance Galvanized Bust Anchor Rod 3/4 in. X 8 ft. with Twineye Adapter, Cat # 5358.	Utilicor/Border States \$18.90	GRESKO Utility Supply, Inc. \$20.00	Arkansas Electric Cooperative, Inc. \$20.22
Guy Wire, Galvanized Steel			
3/8 Siemens Martin Grade, Coils per FT	Irby \$0.26	GRESKO Utility Supply, Inc. \$0.31	Utilicor/Border States \$0.32
7/16 High Strength Grade, Coils per FT	Irby \$0.39	GRESKO Utility Supply, Inc. \$0.44	Utilicor/Border States \$0.53
Banded Guy Attachment with Clevis			
Aluma-Form heavy Duty Banded Guy Attachment with Clevis, Part BGA-S20 Only.	GRESKO Utility Supply, Inc. \$49.50	Garner-Lumley Electric Supply Co. \$52.00	Irby \$57.41
Conductor, Overhead Secondary, Overhead Primary, Underground Secondary, Underground Primary, Miscellaneous Copper			
#6 Duplex, Shepherd, 600 Volt, 90 Degree C Operation. Packaged in Coils. Per FT.	Utility Power, Inc. \$0.20	Utilicor/Border States \$0.21	Garner-Lumley Electric Supply Co. \$0.23
#4 Triplex, Periwinkle, 600 Volt, 90 Degree C Operation. Packaged in Coils. Per FT.	Utility Power, Inc. \$0.40	Utilicor/Border States \$0.40	Garner-Lumley Electric Supply Co. \$0.46
#1/0 Triplex, Neritina, 600 Volt, 90 Degree C Operation. Packaged in Coils. Per FT.	Garner-Lumley Electric Supply Co. \$0.73	Utilicor/Border States \$0.79	Utility Power, Inc. \$0.83
#4/0 Triplex, Zuzara, 600 Volt, 90 Degree C Operation. Packaged on Reels. Per FT.	GRESKO Utility Supply, Inc. \$1.60	Utility Power, Inc. \$1.60	Utilicor/Border States \$1.63
#1/0 Quadruplex, Costena, 600 Volt, 90 Degree C Operation. Packaged on Reels. Per FT.	Utility Power, Inc. \$1.20	Utilicor/Border States \$1.21	Irby \$1.30
#4/0 Quadruplex, Appaloosa, 600 Volt, 90 Degree C Operation. Packaged on Reels. Per FT.	Utility Power, Inc. \$1.98	Utilicor/Border States \$2.01	Garner-Lumley Electric Supply Co. \$2.22
#336.4 kcmil Quadruplex, Gelding, 600 Volt, 90 Degree C Operation. Packaged on Reels. Per FT.	Utility Power, Inc. \$2.96	Irby \$4.12	Garner-Lumley Electric Supply Co. \$4.40
#2 ACSR, Sparrow, Packaged on Reels. Per FT.	Utility Power, Inc. \$0.13	Garner-Lumley Electric Supply Co. \$0.16	Utilicor/Border States \$0.16
#1/0 ACSR, Raven, Packaged on Reels. Per FT.	Garner-Lumley Electric Supply Co. \$0.22	Utility Power, Inc. \$0.23	Utilicor/Border States \$0.23
#4/0 ACSR, Penguin, Packaged on Reels. Per FT.	Irby \$0.46	GRESKO Utility Supply, Inc. \$0.47	Utilicor/Border States \$0.48
#336.4 ACSR, Merlin, Packaged on Reels. Per FT.	Utility Power, Inc. \$0.61	Utilicor/Border States \$0.62	GRESKO Utility Supply, Inc. \$0.65
#477 ACSR, Pelican, Packaged on Reels. Per FT.	Irby \$1.03	Utility Power, Inc. \$1.14	Utilicor/Border States \$1.14

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
3-Layer 15 kV ACSR Tree Wire, 1/0 AWG, 6/1 Stranding, Southwire or Hendrix. Packaged on Reels. Bidder shall specify standard reel length.	Irbby	Utility Power, Inc.	NO
3-Layer 15 kV ACSR Tree Wire, 1477 kcmil, 18/1 Stranding, Southwire or Hendrix. Packaged on Reels. Bidder shall specify standard reel length.	Irbby	Utility Power, Inc.	NO
#6 Underground Duplex, Clafin, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels. Per Ft.	Garner-Lumley Electric Supply Co.	Utility Power, Inc.	GRESKO Utility Supply, Inc.
#4 Underground Triplex, Vassar, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels. Per Ft.	Utility Power, Inc.	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.
#4/0 Underground Triplex, Sweetbriar, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels. Per Ft.	GRESKO Utility Supply, Inc.	Utility Power, Inc.	Garner-Lumley Electric Supply Co.
4/0 Underground Triplex, Sweetbriar, Powerglide 600V Secondary Underground High Score, 90 Degree C Continuous Operation. Packaged on Reels. Southwire or Ego.	Irbby	NO	BID
#350 Underground Triplex, Wesleyan, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels	Utilicor/Border States	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.
350 kcmil Underground Triplex, Wesleyan Powerglide 600V Secondary Underground High Score, 90 Degree C Continuous Operation. Packaged on Reels. Southwire or Ego.	Irbby	NO	BID
#4/0 Underground Quadruplex, Wake Forest, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels. Per Ft.	Garner-Lumley Electric Supply Co.	Utility Power, Inc.	GRESKO Utility Supply, Inc.
4/0 Underground Quadruplex, Wake Forest Powerglide 600V Secondary Underground High Score, 90 Degree C Continuous Operation. Packaged on Reels. Southwire or Ego.	Irbby	NO	BID
#350 Underground Quadruplex, Slippery Rock, Ruggedized or High Score, 90 Degree C Continuous Operation. Packaged on Reels. Per Ft.	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.	Irbby
350 kcmil Underground Quadruplex, Slippery Rock Powerglide 600V Secondary Underground High Score, 90 Degree C Continuous Operation. Packaged on Reels. Southwire or Ego.	Irbby	NO	NO
Underground Residential Distribution Cable (URD), Concentric Neutral, Jacketed 15 kV Class Cable, 1/0 Aluminum Conductor, Class B Filled Strand, 220 mil EPR Insulation, Copper Full Neutral Consisting of 16 - #14 Strands, with Insulating Jacket Over Concentric Wires. Cable Shall Be All EPR Construction. Okonite or Kentite Only. Price per Foot	T&C Specialty Distributors, Inc.	Utility Power, Inc.	NO
Underground Residential Distribution Cable (URD), Concentric Neutral, Jacketed 15 kV Class Cable, 750 kcmil Aluminum Conductor, Class B Filled Strand, 220 mil EPR Insulation, Copper 1/3 Neutral, with Insulating Jacket Over Concentric Wires. Cable Shall Be All EPR Construction. Okonite or Kentite Only. Price per Foot	T&C Specialty Distributors, Inc.	Utility Power, Inc.	NO
Underground Residential Distribution Cable (URD), Concentric Neutral, Jacketed 15 kV Class Cable, 750 kcmil Aluminum Conductor, Class B Filled Strand, 220 mil EPR Insulation, Copper 1/3 Neutral, with Insulating Jacket Over Concentric Wires. Cable Shall Be All EPR Construction. Cable Shall be Shipped on Steel Reels. Okonite or Kentite Only. Price per Foot. 1400 ft reels only.	T&C Specialty Distributors, Inc.	Utility Power, Inc.	NO
#6 Insulated Soft Drawn Riser Wire, Solid Copper Wire. Packaged on Small Spools. Per Ft.	Irbby	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.
#4 Bare Soft Drawn Solid Copper Wire. Per Ft.	Utility Power, Inc.	GRESKO Utility Supply, Inc.	Irbby
#6 Bare Soft Drawn Solid Copper Wire. Per Ft.	Utility Power, Inc.	GRESKO Utility Supply, Inc.	#N/A
AFL, ADSSCable, Mini-Span 424, 60 Fiber, Part#AE0609C520AAA Only.	#NUM!	NO	NO

Jan - June 2018 STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Underground Equipment			
S&C Vista Underground 4-Way Switchgear, Model 422. S&C 93422R1-P4T2-S313. S&C Only.	Irby	NO	NO
S&C Vista Underground 5-Way Switchgear, Model 523. S&C 93523R1-P6T3-S192. S&C Only.	Irby	NO	NO
Load Break Bushing Insert, 200 A, 15 kV, Cooper LBI 215. or Elastimold 1601A4.	GRESKO Utility Supply, Inc.	Irby	Arkansas Electric Cooperative, Inc
Load Break Elbow Connector with Jacket Seal, 200 Amp, 15 kV, with Capacitive Test Point, 1/0 Stranded Conductor, Elastimold 166LRJS-C-5240 or Cooper LE1215CC06T.	GRESKO Utility Supply, Inc.	NO	NO
Horizontal Load Break Portable FeedThru, 200 Amp, 15 kV, Cooper LPF215H or Elastimold 1602A3R.	GRESKO Utility Supply, Inc.	Arkansas Electric Cooperative, Inc	Irby
Rotatable Loadbreak Feedthru Insert, 200 A, 15kV Class. Cooper LF1215 or Elastimold 1602A3R.	GRESKO Utility Supply, Inc.	Arkansas Electric Cooperative, Inc	Garner-Lumley Electric Supply Co.
Insulated Protective Cap. 15 kV Class. Cooper LPC215 or Elastimold 160DRG.	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.	Irby
900 Amp Deadbreak Connector, 25 kV Class, BOL-T only, 750 kcmil Aluminum Conductor with Copper/Top Compression Connector. Part # Cooper BT625FF25C1 or Elastimold K676L R-M5380.	Garner-Lumley Electric Supply Co.	Irby	GRESKO Utility Supply, Inc.
600 Amp Loadbreak Reducing Tap Plug For use With BOL-T, 25 kV Class, With Copper Stud in Individual Box. Cooper BLRTP625C or Elastimold 675ETPSP.	GRESKO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
Polywater Type HP Multipurpose Cleaner/Degreaser, 16Oz. Aerosol Can. Cat # HPY-12	Utilicor/Border States	Utility Power, Inc.	GRESKO Utility Supply, Inc.
Polywater Cable Lubricant J or Eq. In 5 Gallon Pails. Cat# J-640.	Irby	Utility Power, Inc.	Utilicor/Border States
Polywater Cable Lubricant J. One Quart Front End Pack. Packaged 12 Per Case. Catalog #J-27. Price per Case	Utility Power, Inc.	Garner-Lumley Electric Supply Co.	Irby
URD Cable Termination, Cold Applied, Jacketed Concentric Neutral Cable			
Raychem 841360-000 TFT-151E-1/0	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.	Irby
Raychem 050920-000 TFT-153E	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.	Irby
URD Cable Splice, Jacketed Concentric Neutral Cable, Raychem Only.			
1/0 URD Primary Heat Shrink Splice Without Connector. Part # HVS-1511S-J.	GRESKO Utility Supply, Inc.	Irby	NO
750 kcmil URD Primary Heat Shrink Splice Without Connector. Part # HVS-1514S-J.	Irby	GRESKO Utility Supply, Inc.	NO

Jan - June 2018 STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Junctions			
Loadbreak Junction, 200 A, 15 kV Class, Cooper Cat# LJ215C4U or Elastimold 164J4-5.	GRESKO Utility Supply, Inc. \$102.00	Arkansas Electric Cooperative, Inc. \$109.72	Gamer-Lumley Electric Supply Co. \$119.00
Fiberglass Secondary Pedestal with 350 kcmil Connectors. Pencil Only.			
Secondary Pedestal with 350 kcmil Connectors. Pencil Only. Pencil Catalog # AG18HDX-L35	GRESKO Utility Supply, Inc. \$212.00	NO	NO
Underground Equipment Continued			
Fiberglass Box Pads For Single Phase Transformers. Nordic or Eq. Nordic Catalog # CBP-37-43-15A-MG-22X24	GRESKO Utility Supply, Inc. \$208.00	Utilicor/Border States	NO
Fibercrete Box Pad 94" x 80" for use with 4-Way Vista Swgr. Concast Part # FC-69-83-36-V Only.	\$1,410.00	Irby	GRESKO Utility Supply, Inc. \$1,459.00
Fibercrete Box Pad 117" x 80" for use with 5-Way Vista Swgr. Concast Part # FC-69-106-36-V Only.	\$2,417.00	Irby	GRESKO Utility Supply, Inc. \$2,727.00
Fibercrete Box Pad with 6" x 53" Opening for use with 3-Phase Sectionalizing Cabinet. Concast Part# FC-23-65-32-1880. Concast Only.	\$312.00	Irby	GRESKO Utility Supply, Inc. \$339.00
Fibercrete Box Pad with 18" x 80" Opening for use with 3-Phase Sectionalizing Cabinet. Concast Part# FC-18-65-20-0653. Concast Only.	\$678.00	Irby	GRESKO Utility Supply, Inc. \$758.00
Position 200 Amp Loadbreak Junctions Installed. Howard Industries Cat# 4560-227470-200. Howard Industries Only.	\$778.00	NO	NO
Sectionalizing Cabinet, 1-Phase, 200 A, 15 kV Class, Mild Steel, with One 4-Loadbreak Junctions. Howard Industries Cat# 4584-227470-200. Howard Industries Only.	\$401.00	NO	NO
Position 200 Amp Loadbreak Junctions Installed. Howard Industries Cat# 4530-227470-200. Price of Cabinet to Include Mild Steel Mounting Plate Part# 0062-189904-001. Howard Industries Only.	\$371.00	NO	NO

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID			1st Alternate	2nd Alternate		
Conduit and Fittings							
#REF! High Density Polyethylene Conduit, 3 in. Nominal Size, 3.5 in. Outside Diameter with 13.5 SDR, Black With Red Trisripe, 40 Ft. Lengths, Smooth Wall. Carton or Ea. Per Ft.			\$2.29	Irby	\$2.38	NO	BID
Schedule 40 PVC, 2 in. 20 ft. Sections. Per Ft.	#NUM!		#NUM!	NO	BID	NO	BID
Schedule 40 PVC, 3 in. 20 ft. Sections. Per Ft.	NO		BID	NO	BID	NO	BID
Champion Fiberglass, 90 x 36 in Elbow, 3 in. Nominal, with Bonded On Deep Couplings. Part 30A-SW-92-P-2D.	Garner-Lumley Electric Supply Co.		\$129.00	NO	BID	NO	BID
Champion Fiberglass, 90 x 24 in Elbow, 2 in. Nominal, with Bonded On Deep Couplings. Part 20A-SW-91-P-2D.	Garner-Lumley Electric Supply Co.		\$109.00	NO	BID	NO	BID
Bondit Conduit Adhesive Kit with Dispensing Tool. Kit Contains 2 Adhesive Cartridges, 8 Mixing Nozzles, 1 Strip of Sanding Cloth, 8 TR-1 Cleaning Wipes and 1 Dispensing Tool. Bondit Cat # BT-KITG or Eq.	Garner-Lumley Electric Supply Co.		\$116.00	Irby	\$125.73	NO	BID
3M, Type MB-3 Crossarm Mounting Bracket for URD Cable Range 0.80-1.25 in.	Arkansas Electric Cooperative, Inc		\$10.61	GRESKO Utility Supply, Inc.	\$11.80	Utility Power, Inc.	\$17.15
3M, Type MB-6 Crossarm Mounting Bracket for URD Cable Range 1.80-2.40 in.	GRESKO Utility Supply, Inc.		\$33.25	Arkansas Electric Cooperative, Inc	\$47.74	Utility Power, Inc.	\$57.50
Ditch Witch Bore Gel Bentonite 50 Lb Bags	#NUM!		#NUM!	NO	BID	NO	BID
Ditch Withc EZ Mud. Gold 10 Lb. Dry Polymer Bucket	NO		BID	NO	BID	NO	BID
Ditch Witch Con Det Wetling Agent. 5 Gallon Pails.	NO		BID	NO	BID	NO	BID
Concrete							
Ready Mixed Concrete, Consisting of Portland Cement, Fine and Coarse Aggregate, Water and Approved Admixtures, Combined, Mixed, Transported and Placed at the Owner's Jobsite, Including Furnishing Labor, Materials, Equipment and Incidentals as Required to Provide Concrete to the SED Jobsites inside the City Limits of Starkville. Concrete Mix shall have a Minimum Specified 280Day Compressive Strength of 2500 PSI and a Water-Cement Ratio By Weight of 0.50 to 0.60. Proportion and Design Mixes to Result in Concrete Slump at the Point of Placement as Directed by the Owner. Slump at the Point of Placement shall be 4 in. to 6 in. for Concrete that is to be Mechanically Vibrated, and 5 in. to 7 in. for Concrete that is to be Placed Without Consolidation. Supplier shall Comply with the Requirements of ASTM C94 "Standard for Ready-Mixed Concrete". Price per Cubic Yard.	Golden Triangle Ready Mix Concrete		\$125.00	NO	BID	NO	BID

Jan - June 2018 STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description		LOW BID		1st Alternate		2nd Alternate	
Protective Equipment and Capacitor Equipment							
S&C Positrol Fuse Links "QR" Speed							
1 Amp	Irby	\$5.77	NO	BID	NO	BID	
3 Amp	Irby	\$5.77	NO	BID	NO	BID	
5 Amp	Irby	\$5.77	NO	BID	NO	BID	
7 Amp	Irby	\$5.77	NO	BID	NO	BID	
10 Amp	Irby	\$6.25	NO	BID	NO	BID	
15 Amp	Irby	\$6.25	NO	BID	NO	BID	
20 Amp	Irby	\$6.25	NO	BID	NO	BID	
25 Amp	Irby	\$6.63	NO	BID	NO	BID	
30 Amp	Irby	\$6.63	NO	BID	NO	BID	
40 Amp	Irby	\$6.63	NO	BID	NO	BID	
50 Amp	Irby	\$7.85	NO	BID	NO	BID	
60 Amp	Irby	\$9.52	NO	BID	NO	BID	
75 Amp	Irby	\$9.52	NO	BID	NO	BID	
100 Amp	Irby	\$11.88	NO	BID	NO	BID	
125 Amp	Irby	\$13.53	NO	BID	NO	BID	
150 Amp	Irby	\$18.99	NO	BID	NO	BID	
Cooper Power Systems "D" Link Fuse							
1 Amp	GESCO Utility Supply, Inc.	\$5.25	Arkansas Electric Cooperative, Inc	\$8.87	NO	BID	
2 Amp	GESCO Utility Supply, Inc.	\$5.25	Arkansas Electric Cooperative, Inc	\$6.60	NO	BID	
3 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	
5 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	
7 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	
10 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	
15 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	
20 Amp	GESCO Utility Supply, Inc.	\$5.15	Arkansas Electric Cooperative, Inc	\$6.50	NO	BID	

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	Low Bid	1st Alternate	2nd Alternate
Other Protective Equipment			
Cooper Power Systems Companion II Backup Current-Limiting Fuse, 8.3 kV, 25 k Current Rating with Spline Stud and Eyebolt Terminal, Cooper FAH8KV25K8GGR1 Only	GRESCO Utility Supply, Inc.	Arkansas Electric Cooperative, Inc	NO
Loadbuster Disconnect, 25 kV, 600 A Continuous, S&C Catalog # 4943R9ED2.	Irby	NO	NO
Fuse Cutout, 15 kV, 100 A Continuous, 16 kA Interrupting, Loadbuster, Silicone Rubber, ABB X1JCLNLM11 or Eq.	GRESCO Utility Supply, Inc.	Utility Power, Inc.	Irby
Fuse Tube Including Cap & Arc Shortening Rod, 14.4 kV, 100 Amp, S&C Catalog # 89531R10 or Eq.	GRESCO Utility Supply, Inc.	Irby	Utility Power, Inc.
Fuse Tube, 14.4 kV, 200 A, S&C Catalog # 89571R11. S&C or Eq.	Garner-Lumley Electric Supply Co.	GRESCO Utility Supply, Inc.	Irby
Spare Disconnect Blade, 14.4 kV, 300 Amp, S&C Catalog # 89621R10. S&C or Eq.	GRESCO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
Loadbreak Cutout, 15/27 kV, 100 Amp Continuous, Porcelain, ABB Catalog # Y2NCBNQA12, ABB only.	Garner-Lumley Electric Supply Co.	NO	NO
Loadbreak Cutout, 15/27 kV, 100 Amp Continuous, Silicone Rubber, ABB Catalog # Y2JCLNQA12, ABB only.	Garner-Lumley Electric Supply Co.	NO	NO
Elbow Surge Arrester, 10 kV, 8.4 kV MCOV, 36 in. Lead Wire, Cooper 3238018C10M or Ohio Brass 61150900036 or Elastimold 167E5A10.	GRESCO Utility Supply, Inc.	Utilicor/Border States	Garner-Lumley Electric Supply Co.
Parking Stand Surge Arrester, 10 kV, 8.4 kV MCOV, Cooper Part # 3237686C10M or Elastimold 167PSA10.	GRESCO Utility Supply, Inc.	Garner-Lumley Electric Supply Co.	Irby
Heavy Duty Distribution Class Arrester, 10 kV, 8.4 kV MCOV. With Insulator, Wildlife Protector and NEMA X-Arm Bracket. Cooper UHS1005-0A1A-1B1A or Ohio Brass 213709-7324 Only	Utilicor/Border States	GRESCO Utility Supply, Inc.	Irby
Hubbell Protecta Lite Suspension Distribution Class Arrester, 13.8 kV, 8.4 kV MCOV with Fargo Hot Line Clamp GH202AD and 90 Inch #4 AWG Tinned Copper Rope Lay Conductor Lead. Hubbell Catalog #602009-B0-X4-005 Only	Utilicor/Border States	Utility Power, Inc.	Irby

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
3-Phase Air Break Switch. 15 kV, 600 A, Insulated Base, Epoxy Insulators, 2-Hole NEMA Pad, Upright Hookstick Operated With Extra Mounting Clearance. S&C Cat. # 147442R2-H	Irby	BID	BID
3-Phase Air Break Switch. 15 kV, 600 A, Insulated Base, Epoxy Insulators, 2-Hole NEMA Pad, Vertical Hookstick Operated. S&C Cat. # 147532R4-H	Irby	BID	BID
3-Phase Air Break Switch. 14.4 kV, 900 A, Insulated Base, Epoxy Insulators, 2-Hole NEMA Pad, Tiered Outboard Hookstick Operated With Pole Bankand J-Bolts. S&C Cat. # 147832R4-H2-P1	Irby	BID	BID
New 3-Phase Recloser, 800 Amp Cont., 12.5 kA Interrupting, Solid Dielectric, 15 kV Class Vacuum Recloser with SEL-651RA Control. 14 Pin Control Cable. Equipped with 3 Low Energy Analog Voltage Sensors. Recloser outfitted with 2 Hole Pads, "L" Shaped Pole Mount Center Bracket. Lightning Arrester Brackets and 40 ft. 14 Pin Control Cable. G&W Electric VIP378ER-12S Only. SEL Part # 0651RA01XBAXAE1A3311BXXX	Power Connections, Inc	BID	BID
Schweitzer Engineering Laboratories, Inc., SEL-651RA Recloser Control for use with G&W Viper or Cooper VME. Part Number 0651RA01XBAXAE1A3311BXXX. Schweitzer Engineering Laboratories, Inc. only.	Power Connections, Inc	BID	BID
Schweitzer Engineering Laboratories, Inc., SEL-C510, 40 Ft. Recloser 14 Pin Control Cable, 14-Pin Male to Female Amphenol Connector.	Power Connections, Inc	BID	BID
SEL Overhead Autoranger FCI with 4 Hr Permanent Fault Reset & 16 Hr Temporary Fault Reset Time. SEL Part# AR360-4-16.	Power Connections, Inc	BID	BID
SEL Underground Autoranger FCI with 4 Hr Permanent Fault Reset Time. No Battery with Integral Display. SEL Part# 1ARU4Y2.	Power Connections, Inc	BID	BID
SEL Underground Autoranger FCI with 4 Hr Permanent Fault Reset Time. With Battery & 10 ft Remote Fiber Optic Display. SEL Part# 1BARUZR4LEY2..	Power Connections, Inc	BID	BID
New G&W Viper Single Phase Recloser, Polemount "L" Config., with Arrester Brackets, NEMA 2-Hole Lugs, Wildlife Protectors. SEL-Kestrel Control, 40 ft Cable. G&W VIP178ER-12-SP Only. SEL 0351RS022XB1E11X1XXX Control.	Power Connections, Inc	BID	BID
Chance Loadbreak Electronic Resettable Sectionalizer, 15 kV, 50 Amp, 2-Count, Parallel Grove C.amps, NEMA Bracket. Chance C740-162PB only.	Utilicor/Border States	\$772.50	BID
Chance Loadbreak Electronic Resettable Sectionalizer, 15 kV, 70 Amp, 2-Count, Parallel Grove C.amps, NEMA Bracket. Chance C750-162PB only.	Utilicor/Border States	\$756.00	BID
Capacitors Equipment & Relays			
Capacitor, 50 kVAR, 7620 Volt, Single Phase, 2-Bushing, 60 Hz, 95 kV BIL.	Garner-Lumley Electric Supply Co.	\$406.00	\$509.00
Capacitor, 100 kVAR, 7620 Volt, Single Phase, 2-Bushing, 60 Hz, 95 kV BIL.	Garner-Lumley Electric Supply Co.	\$440.00	\$450.87
Capacitor, 200 kVAR, 7620 Volt, Single Phase, 2-Bushing, 60 Hz, 95 kV BIL.	Arkansas Electric Cooperative, Inc	\$552.25	\$567.00
Capacitor, 300 kVAR, 7620 Volt, Single Phase, 2-Bushing, 60 Hz, 95 kV BIL.	Arkansas Electric Cooperative, Inc	\$610.00	\$673.00
Vacuum Capacitor Switch, Type VCS-1, 95 kV BIL, 200 A Continuous, 120 VAC Operating Voltage. Standard 5-Pin Receptacle for 3-Wire Control. ABB Cat # PS15-120M-BC or Edison ECSA111BA1.	GRESKO Utility Supply, Inc.	\$1,065.00	BID

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
SEL 734B Capacitor Control. Model 07340T9F1D1626EXXAD3AA000.	Power Connections, Inc	NO	NO
SEL-RTAC. Model 35304BAOX1211X0XXXXXX	Power Connections, Inc	NO	NO
SEL-RTAC. Model 3530HA0XX211A0XXXXXX	Power Connections, Inc	NO	NO
Beckwith A-6280A-STRK1 Capacitor Control with COPPER Ethernet.	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.	NO
Beckwith A-6280A-STRK1 Capacitor Control with FIBER Ethernet.	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.	NO
Beckwith B-1312-45 Neutral CT 5.0-2 Amp with 45 Ft. Cable and 3-Pin Cannon Connector.	Garner-Lumley Electric Supply Co.	GRESKO Utility Supply, Inc.	NO
S&C Line Post Current Sensor. 14.4 kV. S&C Only Cat # 904-001124-00	Irby	NO	NO
S&C Sensor Cable, Junction Box to Current Sensor. 20 Ft. End One Connector = None, End Two Connector = 2-Pin. S&C Only. Cat # 007-000767-03	Irby	NO	NO
Fusing Tape, Midsun Group Only			
E/FTP-100G. Price per Roll.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/FTP-250G. Price per Roll.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
Silicon Rubber Split Line Hose, Midsun Group Only			
E/INS-025. Price per Ft.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/INS-50. Price per Ft.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/INS-075. Price per Ft.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/INS-100. Price per Ft.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
Molded Bushing Products, Midsun Group Only			
E/Bush CV-LGE	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/Bush CV-Full	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/Bush CV-Small	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/Flex Barrier. 20 in Wide, Gray. Part #E/Flex BAR-EN-20" Gray.	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
Distribution Wildlife Covers, Midsun Only.			
E/Capacitor Cover	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/DL-LA-Recluser Cover	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
E/Pole Top Lightning Arrestor Cap	Midsun Group	Arkansas Electric Cooperative, Inc	Irby
Metering Equipment			
Honeywell/Elster, Single Phase, Solid State Electronic Watthour Meters, With SED Numbers in Sequence with Meters Previously Supplied. For Use with Starkville's Elster AMI System.	NO	NO	NO
Elster Energy Axis Rex2, Form 1S, Class 200, 120 Volt, with Service Disconnect and Yellow Nameplate. Catalog Number ZFA3KA00Y00.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2, Form 2S, Class 200, 240 Volt, With Service Disconnect, No Test Links, with White Nameplate, Catalog Number ZFCVMA00000.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2, Form 2S, Class 320, 240 Volt, No Test Links, with Yellow Nameplate. Catalog Number ZFCYMA000Y00.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2 Programmed for SED Solar Program, Form 2S, Class 200, 240 Volt, With Service Disconnect, No Test Links and Green Nameplate, Catalog Number ZFCVMA00000.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2, Form 12S, Class 200, 120 Volt, with Service Disconnect and Yellow Nameplate, Catalog # ZFWKA00Y00.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2, Form 12S, Class 320, 120 Volt, No Test Links, with Yellow Nameplate. Catalog # ZF54K00000.	Garner-Lumley Electric Supply Co.	NO	NO
Elster Energy Axis Rex2, Form 4S, Class 20, 240 Volt, with Yellow Nameplate, Catalog # ZFC2M000Y00.	Garner-Lumley Electric Supply Co.	NO	NO

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Honeywell-Elster Energy Axis RexU, Form 1S, Class 200, 120 Volt, With Service Disconnect, With Yellow Nameplate, Catalog Number: ZHA33A00004.	Garner-Lumley Electric Supply Co. \$128.00	NO	NO
Honeywell-Elster Energy Axis RexU, Form 2S, Class 200, 240 Volt, With Service Disconnect, With No Test Links and White Nameplate, Catalog Number: ZHCW4A000004.	Garner-Lumley Electric Supply Co. \$128.00	NO	NO
Honeywell-Elster Energy Axis RexU, Form 2S, Class 320, 240 Volt, No Test Links, With Yellow Nameplate, Catalog Number: ZHCY4D000004.	Garner-Lumley Electric Supply Co. \$95.00	NO	NO
Honeywell-Elster Energy Axis RexU Programmed for SED Solar Program, Form 2S, Class 200, 240 Volt, With Service Disconnect, With No Test Links and Green Nameplate, Catalog Number: ZHCW4A000004.	Garner-Lumley Electric Supply Co. \$128.00	NO	NO
Honeywell-Elster Energy Axis RexU, Form 12S, Class 200, 120 Volt, With Service Disconnect, With No Test Links and Yellow Nameplate, Catalog Number: ZH5W3A000004.	Garner-Lumley Electric Supply Co. \$145.00	NO	NO
Honeywell-Elster Energy Axis RexU, Form 12S, Class 320, 120 Volt, No Test Links and Yellow Nameplate, Catalog Number: ZH5Y30000004.	Garner-Lumley Electric Supply Co. \$106.00	NO	NO
Honeywell-Elster Energy Axis RexU, Form 4S, Class 20, 240 Volt, With Yellow Nameplate, Catalog Number: ZHC24000004.	Garner-Lumley Electric Supply Co. \$95.00	NO	NO
Honeywell/Elster, A3 Alpha, Solid State Electronic WattHour Meters, With SED Numbers in Sequence with Meters Previously Supplied. For Use with Starkville's Elster AMI System.			
Elster Energy Axis Alpha A3RALNQ, Form 16S, Class 320, 128K Memory, 120 - 480 Volt, With White Nameplate, Catalog Number: ZD3410P80LM.	Garner-Lumley Electric Supply Co. \$415.00	NO	NO
Elster Energy Axis Alpha A3RALNQ, Form 9S, Class 20, 128K Memory, 120 - 480 VOLT, With White Nameplate, Catalog Number: ZD3210P80LM.	Garner-Lumley Electric Supply Co. \$415.00	NO	NO
Elster Energy Axis Alpha A3RALNQ, Form 9S, Class 20, 128K Memory, 120 - 480 Volt, 2 Relays To Cable (kz) With Yellow Nameplate, Catalog Number: ZD3213P80LM.	Garner-Lumley Electric Supply Co. \$450.00	NO	NO
Elster Energy Axis Alpha A3RALNQ, Form 9S, Class 20, 128K Memory, 120 - 480 Volt, ANSI C12.21 Protocol Ethernet Communications, With Yellow Nameplate, Catalog Number: ZD3210I60LM.	Garner-Lumley Electric Supply Co. \$420.00	NO	NO
Elster Energy Axis Alpha A3RALNQ, Form 35S, Class 20, 128K Memory, 120 - 480 Volt, With Yellow Nameplate, Catalog Number: ZD2210P80LM.	Garner-Lumley Electric Supply Co. \$415.00	NO	NO
Elster Energy Axis Alpha A3RALNQ, Form 3S, Single Phase, Class 20, 128K Memory, 120 Volt, With Yellow Nameplate, Catalog Number: ZDA210P80LM.	Garner-Lumley Electric Supply Co. \$397.00	NO	NO
Meter Bases - "K" Base (Siemens Only)			
K4UT, Single-Phase With Lugs Cat # 9810-9546	Irby \$285.98	NO	NO
K7T, Three-Phase With Lugs Cat # 9817-9506	Irby \$465.94	NO	NO
Current Transformers, Secondary Type, Molded, Outdoor Padmount Mounting.			
200 : 5 RF 4.0 at 85C, 0.3 Acc. Class at 0.1 Ohms Burden, ABB Type CMV Hi-Temp, Style# 923A231G01 or G.E. JAC-OCV Cat # 750X236202.	Irby \$81.19	Utilicor/Border States	Garner-Lumley Electric Supply Co. \$132.00
500 : 5 RF 4.0 at 85C, 0.3 Acc. Class at 0.5 Ohms Burden, G.E. Encompass Model # JAB-OW, Cat # 750X136464	Irby \$77.25	Utilicor/Border States	NO
1000:5 RF 2.0 at 85C, 0.15 Acc. Class at 0.5 Ohms Burden, ABB CMV-S, ABB Style # 923A498G02	Irby \$94.00	Utilicor/Border States	Garner-Lumley Electric Supply Co. \$108.00
1500 : 5 RF 2.0 at 85C, 0.3 Acc. Class at 0.5 Ohms Burden, G.E. Encompass Model # JAB-OW, Cat # 750X136463	Utilicor/Border States \$87.15	Irby	NO
Current Transformers, Secondary Type, Outdoor,			
250:5 Ratio, Rating Factor 4.0 at 30C, 0.3 Accuracy Class at 0.2 Ohms Burden, No Bar, Low Base, G.E. Encompass Model JCR-OW or Eq. G.E. Cat # 750X134609.	Irby \$61.20	Utilicor/Border States	NO
500:5 Ratio, Rating Factor 4.0 at 30C, 0.3 Accuracy Class at 0.5 Ohms Burden, No Bar, Low Base, G.E. Encompass Model JAK-OW, Cat # 750X136629.	Irby \$75.90	Utilicor/Border States	NO
600:5 Ratio, RF 2.0 at 30C, 0.15 Acc Class at 0.5 Ohms Burden, No Bar, Low Base, ABB CMF-S, ABB Style # 923A497G01	Utilicor/Border States \$96.00	Irby	Garner-Lumley Electric Supply Co. \$105.00

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
1000:5 Ratio, Rating Factor 4.0 at 30C, 0.3 Accuracy Class at 0.5 Ohms Burden, Window Type with Mounting Base, G.E. Encompass Model JAD-OW. Cat 750X120611.	Utilicor/Border States	NO	NO
Current Transformers, Primary Type, 15 KV, 110KV BIL, Outdoor, Acc Class 0.15, G.E. JKW-5A or ABB KON-11ER.			
50:5 Ratio, Rating Factor 1.5. G.E. Catalog # 755X053108.	Utilicor/Border States	NO	NO
150:5 Ratio, Rating Factor 1.5. G.E. Catalog # 755X053111.	Utilicor/Border States	NO	NO
200:5 Ratio, Rating Factor 1.5. ABB Catalog # E-923A427G01.	Garner-Lumley Electric Supply Co.	NO	NO

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description		LOW BID		1st Alternate		2nd Alternate	
Primary Potential Transformers							
Potential Transformers, Primary Type, 15KV, Outdoor, Moldded, 60:1, Two Bushing, 7200/12470 Wye, IEEE Meter Accuracy 0.15 W, X, M, Y. G.E. Type JWM-5A or Eq. Catalog # 765X032042	Irby	\$903.00		Utilicor/Border States	\$1,055.00	Garner-Lumley Electric Supply Co.	\$1,280.00
Secondary Current and Voltage Transformer Racks							
Barfield instrument Transformer Mounting Bracket for 3 CT's or 3 VT's. Catalog # BA3CTVT1-W	Arkansas Electric Cooperative, Inc	\$13.78		Irby	\$15.36	Utilicor/Border States	\$16.29
Primary Current and Voltage Transformer Racks							
Barfield One CT and One PT Cat # BAPMM2	Arkansas Electric Cooperative, Inc	\$64.90		Garner-Lumley Electric Supply Co.	\$98.00	#N/A	\$98.00
Barfield Three CT and Three PT Cat # BAPMM6	Arkansas Electric Cooperative, Inc	\$233.30		Irby	\$242.68	Utilicor/Border States	\$283.00
Power Quality Equipment							
Power Monitors Revolution Power Quality Recorder	NO	BID		NO	BID	NO	BID
Power Monitors' Set of Four 24 in. Flex Current Transformers to Fit Revolution Power Quality Recorder. Cat# FCT 4/24	NO	BID		NO	BID	NO	BID
Power Monitors' Set of Four 36 in. Flex Current Transformers to Fit Revolution Power Quality Recorder. Cat# FCT 4/36	NO	BID		NO	BID	NO	BID
Power Monitors' Set of Four True Low Amp Dual Range 20/200 Amp Current Transformers To Fit Revolution Power Quality Recorder Cat # TLAR +200/4	NO	BID		NO	BID	NO	BID
Lights and Lighting Equipment							
Misc. Specialty Lighting							
G.E. Evolve Roadway Scalable (ERS3) Cobrahead, 480 Volt, 525mA Drive Current, 4000K LED Color Temp, No Photocell Receptacle, Gray. G.E. Part#ERS1015E1X40AGRAY ONLY.	Utilicor/Border States	\$440.00		NO	BID	NO	BID
LED Roadway to Replace 100W HID. 120-277 Volt. Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater. 4000K Color Temp With 7 Pin Photocell Receptacle. American Electric Part # ATB0208BLEDE10MVOLTR2NLPCLL or Howard Lighting Part # L401L40W40KT210GRM or GE ERL1008B140AGRAY or Eaton VERD-A018-D-U-T2-4N7-10K-AP ONLY..	Howard Lighting Products	\$120.00		GRESCO Utility Supply, Inc.	\$145.00	Arkansas Electric Cooperative, Inc	\$154.00
LED Roadway to Replace 250W HID. 120-277 Volt, Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater. 4000K Color Temp With 7-Pin Photocell Receptacle, Gray Color. GE Part # ERLH011B140AGRAY. American Electric Part # ATBMBMVOLTR3P7 or Howard Lighting Part # L402L100W40KT310GRM or Eaton VERD-G-A02-D-U-T3-4N7-10K-AP ONLY..	Howard Lighting Products	\$175.45		Garner-Lumley Electric Supply Co.	\$212.00	GRESCO Utility Supply, Inc.	\$221.00
LED Roadway to Replace 400W HID. 120-277 Volt., Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater. 4000K Color Temp With 7-Pin Photocell Receptacle, Gray Color. GE Part # ERS2019E1X40AGRAY or Howard Lighting Part # L404L150W40KT310GRM or American Electric Part # ATBMBFMVOLTR3P7 or Eaton VERD-M-A03-D-U-T3-4N7-10K-AP ONLY.	GRESCO Utility Supply, Inc.	\$210.00		Howard Lighting Products	\$240.00	Irby	\$242.42
LED Floodlight to Replace 250W HID. 120-277 Volt, Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater. 4000K Color Temperature With 7-Pin Photocell Receptacle. American Electric Part # ACP1LED310AMVOL T654KYBZPCL1NL0443 or GE EFNA05S4051TDKBZ or Eaton UFLD-A25-DJL66-T-BZ-4N7-10K ONLY	GRESCO Utility Supply, Inc.	\$392.00		Utility Power, Inc.	\$437.00	Garner-Lumley Electric Supply Co.	\$465.00
LED Floodlight to Replace 400W HID. 120-277 Volt, Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater. 4000K Color Temperature With 7-Pin Photocell Receptacle. American Electric Part # ACP1LED610AMVOL T654KYBZPCL1NL0443 or GE EFH1010BB65740AAT11DKBZ or Eaton UFLD-A40-D-U-66-T-BZ-4N7-10K ONLY	GRESCO Utility Supply, Inc.	\$465.00		Utility Power, Inc.	\$496.00	Utilicor/Border States	\$565.00

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Howard Large Utility Floodlight, 120-277 Volt, 196W/80 LED, 4700K Led Color Temp, Slip Filter Mounting, Concave Glass, NEMA 5 Optics, Howard Model #JUL4HE550UBZ ONLY	Howard Lighting Products	NO	NO
LED Interstate Light, 120-277 Volt, Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 100 or Greater, 4000K Color Temperature with 7-Pin Photocell Receptacle, Eaton NVN-AE-06-LED-U14W-10K-4NZ-AP ONLY	GRESKO Utility Supply, Inc.	Utility Power, Inc.	NO
400 Watt HPS Interstate, 120 Volt Pole Mount with Photo Cell Receptacle, AmeriMetric Electric Cat # 285 40S CA MT1 R3 DA GY.	#NUM!	NO	NO
Street Light Arms			
6' Pole Mount 2" Steel	GRESKO Utility Supply, Inc.	Utilicor/Border States	Arkansas Electric Cooperative, Inc
10' Pole Mount 2" Steel	GRESKO Utility Supply, Inc.	Utilicor/Border States	Irby
Photo Electric Controls			
105-305 VAC, 50/60 Hz, 1000W, 1800VA DTL (Dark To Light) Part # D124-1.5-STM or Eq.	Garner-Lumley Electric Supply Co.	Arkansas Electric Cooperative, Inc	GRESKO Utility Supply, Inc.
105-305 vac, 50/60 Hz, 1000W, 1800VA, DTL LED Long Life Photocontrol, Part#DSS124N-1.5TJE Only.	GRESKO Utility Supply, Inc.	Arkansas Electric Cooperative, Inc	Garner-Lumley Electric Supply Co.
105-305 VAC, 50/60 Hz, 1000W, 1800VA, Ripley Long Life Photocontrol, Ripley Part #6390L-BK Only.	GRESKO Utility Supply, Inc.	NO	NO
420-520 VAC, 50/60 Hz, 1000W, 1800VA, DTL (Dark To Light) Part # DX480-12A or Eq.	Garner-Lumley Electric Supply Co.	Arkansas Electric Cooperative, Inc	Irby
432-528 VAC, 50/60Hz, 1000W, 1800VA, Ripley Long Life Photocontrol, Ripley Part #6394L Only.	GRESKO Utility Supply, Inc.	NO	NO
Lamps, Street Light			
175 Watt Mercury Vapor	Howard Lighting Products	Utilicor/Border States	Irby
100 Watt High Pressure Sodium with Double Arc Tube	Howard Lighting Products	Utility Power, Inc.	Utilicor/Border States
250 Watt High Pressure Sodium with Double Arc Tube	Utility Power, Inc.	Howard Lighting Products	Utilicor/Border States
400 Watt High Pressure Sodium with Double Arc Tube	Howard Lighting Products	Utility Power, Inc.	Utilicor/Border States
1000 Watt HPS with Built In Starter, Eye Ignitron Part # LU1000B/1EN Only.	Utility Power, Inc.	NO	NO
1000 Watt Metal Halide	Howard Lighting Products	Utility Power, Inc.	Irby
1500 Watt Metal Halide	Irby	Howard Lighting Products	Utilicor/Border States
LED NEMA Head			
LED NEMA Head, Fixture Shall Have a Lumen Per Watt (LPW) Ratio of 92 or Greater, American Electric Part # LNH2LU4M/VOLTR5NA, Howard Lighting Part # DTDU48LED41MV or Cooper Part # CRTK-R-A08-E-120-5-10K-B18-TH-A ONLY	GRESKO Utility Supply, Inc.	Utility Power, Inc.	Garner-Lumley Electric Supply Co.
Decorative Street Light			
Stemberg A652 Princeton Fixture with LED Retrofit and Scottsdale Pole, Stemberg Part # A653A/6P/PT-S/6312FP5/XRLED-A653-12L45T5-MDL21/SBA/C/SBAR-5/BK, Stemberg Only.	NO	NO	NO
	BID	BID	BID

Jan - June 2018

STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description		LOW BID		1st Alternate		2nd Alternate	
Poles							
Wood Poles with CCA-ET & Penta Treatment							
30 ft Class 5	Baldwin Pole and Piling Co, Inc	\$110.00		NO	BID	NO	BID
40 ft Class 2	Baldwin Pole and Piling Co, Inc	\$278.00		NO	BID	NO	BID
40 ft Class 4	Baldwin Pole and Piling Co, Inc	\$209.00		NO	BID	NO	BID
45 ft Class 2	Baldwin Pole and Piling Co, Inc	\$342.00		NO	BID	NO	BID
50 ft Class 2	Baldwin Pole and Piling Co, Inc	\$415.00		NO	BID	NO	BID
55 ft Class 2	Baldwin Pole and Piling Co, Inc	\$496.00		NO	BID	NO	BID
60 ft. Class 1	Baldwin Pole and Piling Co, Inc	\$748.00		NO	BID	NO	BID
65 ft Class 1	Baldwin Pole and Piling Co, Inc	\$1,195.00		NO	BID	NO	BID
70 ft Class 1	Baldwin Pole and Piling Co, Inc	\$1,495.00		NO	BID	NO	BID
75 ft class 1	Baldwin Pole and Piling Co, Inc	\$1,753.00		NO	BID	NO	BID
80 ft class 1	Baldwin Pole and Piling Co, Inc	\$2,068.00		NO	BID	NO	BID
85 ft class 1	Baldwin Pole and Piling Co, Inc	\$2,300.00		NO	BID	NO	BID
Concrete Poles - Octagonal Only							
30 ft Class 5	Baldwin Pole and Piling Co, Inc	\$783.00		NO	BID	NO	BID
30 ft Class 2	Baldwin Pole and Piling Co, Inc	\$945.00		NO	BID	NO	BID
35 ft Class 5	Baldwin Pole and Piling Co, Inc	\$893.00		NO	BID	NO	BID
35 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,071.00		NO	BID	NO	BID
40 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,197.00		NO	BID	NO	BID
40 ft Class H8	Baldwin Pole and Piling Co, Inc	\$2,258.00		NO	BID	NO	BID
45 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,334.00		NO	BID	NO	BID
45 ft Class H1	Baldwin Pole and Piling Co, Inc	\$1,561.00		NO	BID	NO	BID
50 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,450.00		NO	BID	NO	BID
50 ft Class H1	Baldwin Pole and Piling Co, Inc	\$1,764.00		NO	BID	NO	BID
55 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,601.00		NO	BID	NO	BID
55 ft Class H1	Baldwin Pole and Piling Co, Inc	\$1,916.00		NO	BID	NO	BID
60 ft Class 2	Baldwin Pole and Piling Co, Inc	\$1,712.00		NO	BID	NO	BID
60 ft Class H1	Baldwin Pole and Piling Co, Inc	\$2,074.00		NO	BID	NO	BID
65 ft Class 2 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,208.00		NO	BID	NO	BID
65 ft Class H1 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,434.00		NO	BID	NO	BID
70 ft Class 1 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,479.00		NO	BID	NO	BID
70 ft Class H1 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,632.00		NO	BID	NO	BID
70 ft Class H4 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$3,188.00		NO	BID	NO	BID
75 ft Class 1 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,624.00		NO	BID	NO	BID
75 ft Class H2 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$3,039.00		NO	BID	NO	BID
75 ft Class H4 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$3,459.00		NO	BID	NO	BID
80 ft Class 1 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$2,759.00		NO	BID	NO	BID
80 ft Class H2 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$3,231.00		NO	BID	NO	BID
80 ft Class H4 With Step Bolt Inserts	Baldwin Pole and Piling Co, Inc	\$3,709.00		NO	BID	NO	BID

Jan - June 2018 STARKVILLE UTILITIES ELECTRIC GENERAL EQUIPMENT

Item Description	LOW BID	1st Alternate	2nd Alternate
Concrete Poles - Square Prestressed w/Taper			
30 ft Lone Star LMPI Cat # 301002 or Eq.	Baldwin Pole and Piling Co, Inc	NO	NO
35 ft Lone Star LMPI Cat # 351002 or Eq.	Baldwin Pole and Piling Co, Inc	NO	NO
Brackets - 6 ft Aluminum Street Light Brackets for Concrete Poles.			
Lonestar Prestress Mfg, Inc. or Eq.			
Single Arm Bracket Lone Star LMPI Cat # 966967 or Eq.	NO	NO	NO
Double Arm Bracket Lone Star LMPI Cat # 967906 or Eq.	NO	NO	NO
Steel Poles - 12 Sided Only			
60 ft Class 1	NO	NO	NO
65 ft Class 1	NO	NO	NO
70 ft Class 1	NO	NO	NO
75 ft Class 1	NO	NO	NO
80 ft Class 1	NO	NO	NO
85 ft Class H1	NO	NO	NO
90 ft Class H1	NO	NO	NO
95 ft Class H1	NO	NO	NO
100 ft Class H1	NO	NO	NO

Item Description	LOW BID		1st Alternate	2nd Alternate
Overhead Single Phase Distribution Pole Mounted Transformers. 7200/12470V -- 120/240 Volts.				
1 kVA	Howard Industries	\$525.00	Gresco Ermco Direct	Garner Lumley
5 kVA	Howard Industries	\$474.00	Gresco Ermco Direct	Garner Lumley
10 kVA	Howard Industries	\$540.00	Gresco Ermco Direct	Garner Lumley
15 kVA	Howard Industries	\$625.00	Gresco Ermco Direct	Garner Lumley
25 kVA	Howard Industries	\$760.00	Gresco Ermco Direct	Garner Lumley
37.5 kVA	Gresco Ermco Direct	\$920.00	Howard Industries	Garner Lumley
50 kVA	Gresco Ermco Direct	\$1,153.00	Howard Industries	Garner Lumley
75 kVA	Gresco Ermco Direct	\$1,644.00	Howard Industries	Garner Lumley
100 kVA	Gresco Ermco Direct	\$2,018.00	Howard Industries	Garner Lumley
167 kVA	Gresco Ermco Direct	\$3,031.00	Howard Industries	Garner Lumley
250 kVA	Gresco Ermco Direct	\$4,543.00	Howard Industries	Garner Lumley
Overhead Single Phase Distribution Pole Mounted Transformers. 12470 -- 277 Volts.				
50 kVA	Gresco Ermco Direct	\$1,057.00	Howard Industries	Garner Lumley
75 kVA	Gresco Ermco Direct	\$1,415.00	Howard Industries	Garner Lumley
100 kVA	Gresco Ermco Direct	\$1,792.00	Howard Industries	Garner Lumley
167 kVA	Gresco Ermco Direct	\$2,657.00	Howard Industries	Garner Lumley
250 kVA	Howard Industries	\$3,987.00	Gresco Ermco Direct	Garner Lumley
333 kVA	Garner Lumley	\$5,770.00	Howard Industries	Gresco Ermco Direct
500 kVA	Gresco Ermco Direct	\$8,365.00	Howard Industries	Garner Lumley
Overhead Single Phase Distribution Pole Mounted Transformers. 7200 -- 277 Volts.				
250 kVA	Gresco Ermco Direct	\$4,202.00	Howard Industries	Garner Lumley
333 kVA	Garner Lumley	\$5,855.00	Howard Industries	Gresco Ermco Direct
500 kVA	Howard Industries	\$8,234.00	Gresco Ermco Direct	Garner Lumley
Pad Mounted Single Phase Distribution Transformers. 12470GV/7200 -- 240/120 Volts.				
25 kVA	Howard Industries	\$1,288.00		
37.5 kVA	Howard Industries	\$1,387.00		
50 kVA	Howard Industries	\$1,521.00		
75 kVA	Howard Industries	\$1,895.00		
100 kVA	Howard Industries	\$2,322.00		
167 kVA	Howard Industries	\$3,150.00		
250 kVA	Howard Industries	\$4,291.00		
Pad Mounted Three Phase Distribution Transformers. 12470V/7200 -- 208Y/120 Volts.				
75 kVA	Howard Industries	\$5,283.00	Gresco Ermco Direct	Garner Lumley
150 kVA	Howard Industries	\$6,540.00	Gresco Ermco Direct	Garner Lumley
225 kVA	Howard Industries	\$7,372.00	Gresco Ermco Direct	Garner Lumley
300 kVA	Howard Industries	\$8,652.00	Gresco Ermco Direct	Garner Lumley
500 kVA	Howard Industries	\$12,043.00	Garner Lumley	Garner Lumley
750 kVA	Howard Industries	\$19,483.00	Gresco Ermco Direct	Garner Lumley
1000 kVA	Howard Industries	\$29,356.00	Gresco Ermco Direct	Garner Lumley
Pad Mounted Three Phase Distribution Transformers. 12470V/7200 -- 480Y/277 Volts.				
150 kVA	Howard Industries	\$6,595.00	Gresco Ermco Direct	Garner Lumley
300 kVA	Gresco Ermco Direct	\$8,670.00	Howard Industries	Garner Lumley
500 kVA	Gresco Ermco Direct	\$11,186.00	Howard Industries	Garner Lumley
750 kVA	Gresco Ermco Direct	\$15,233.00	Howard Industries	Garner Lumley
1000 kVA	Howard Industries	\$19,872.00		
1500 kVA	Howard Industries	\$28,126.00		
2000 kVA	Howard Industries	\$35,636.00		
2500 kVA	Howard Industries	\$48,703.00		
Pad Mounted Duplex Core Three Phase Distribution Transformers. 12470V/7200 -- 120/240 Single Phase with 240 Volts Three Phase. Open-Wye/Open-Delta.				
100-50 kVA	Howard Industries	\$11,082.00		

Item Description	Low Bid	1st Alternate	2nd Alternate			
Overhead Single Phase Distribution Pole Mounted Transformers. 7200/12470Y -- 120/240 Volts.						
1 kVA	MS-TN Transformers, Inc	\$814.25	NO	BID	NO	BID
5 kVA	MS-TN Transformers, Inc	\$814.25	NO	BID	NO	BID
10 kVA	MS-TN Transformers, Inc	\$814.25	NO	BID	NO	BID
15 kVA	MS-TN Transformers, Inc	\$875.00	NO	BID	NO	BID
25 kVA	MS-TN Transformers, Inc	\$810.00	NO	BID	NO	BID
37.5 kVA	MS-TN Transformers, Inc	\$1,012.50	NO	BID	NO	BID
50 kVA	MS-TN Transformers, Inc	\$1,215.00	NO	BID	NO	BID
75 kVA	MS-TN Transformers, Inc	\$1,355.00	NO	BID	NO	BID
100 kVA	MS-TN Transformers, Inc	\$2,020.00	NO	BID	NO	BID
167 kVA	MS-TN Transformers, Inc	\$2,950.00	NO	BID	NO	BID
250 kVA	MS-TN Transformers, Inc	\$3,250.00	NO	BID	NO	BID
Overhead Single Phase Distribution Pole Mounted Transformers. 12470 -- 277 Volts.						
50 kVA	MS-TN Transformers, Inc	\$1,215.00	NO	BID	NO	BID
75 kVA	MS-TN Transformers, Inc	\$1,355.00	NO	BID	NO	BID
100 kVA	MS-TN Transformers, Inc	\$2,020.00	NO	BID	NO	BID
167 kVA	MS-TN Transformers, Inc	\$2,950.00	NO	BID	NO	BID
250 kVA	MS-TN Transformers, Inc	\$3,250.00	NO	BID	NO	BID
333 kVA	MS-TN Transformers, Inc	\$4,250.00	NO	BID	NO	BID
500 kVA	MS-TN Transformers, Inc	\$5,900.00	NO	BID	NO	BID
Overhead Single Phase Distribution Pole Mounted Transformers. 12470 -- 277 Volts.						
500 kVA	MS-TN Transformers, Inc	\$3,250.00	NO	BID	NO	BID
500 kVA	MS-TN Transformers, Inc	\$4,250.00	NO	BID	NO	BID
500 kVA	MS-TN Transformers, Inc	\$5,900.00	NO	BID	NO	BID
Pad Mounted Single Phase Distribution Transformers. 12470GY/7200 -- 240/120 Volts.						
25 kVA	MS-TN Transformers, Inc	\$1,200.00	NO	BID	NO	BID
37.5 kVA	MS-TN Transformers, Inc	\$1,500.00	NO	BID	NO	BID
50 kVA	MS-TN Transformers, Inc	\$1,700.00	NO	BID	NO	BID
75 kVA	MS-TN Transformers, Inc	\$1,900.00	NO	BID	NO	BID
100 kVA	MS-TN Transformers, Inc	\$2,100.00	NO	BID	NO	BID
167 kVA	MS-TN Transformers, Inc	\$2,800.00	NO	BID	NO	BID
250 kVA	MS-TN Transformers, Inc	\$3,700.00	NO	BID	NO	BID
333 kVA	NO	BID	NO	BID	NO	BID
Pad Mounted Three Phase Distribution Transformers. 12470Y/7200 -- 208Y/120 Volts.						
75 kVA	MS-TN Transformers, Inc	\$4,100.00	NO	BID	NO	BID
150 kVA	MS-TN Transformers, Inc	\$5,800.00	NO	BID	NO	BID
225 kVA	MS-TN Transformers, Inc	\$6,500.00	NO	BID	NO	BID
300 kVA	MS-TN Transformers, Inc	\$7,100.00	NO	BID	NO	BID
500 kVA	MS-TN Transformers, Inc	\$8,500.00	NO	BID	NO	BID
750 kVA	MS-TN Transformers, Inc	\$12,500.00	NO	BID	NO	BID
1000 kVA	MS-TN Transformers, Inc	\$14,500.00	NO	BID	NO	BID
Pad Mounted Three Phase Distribution Transformers. 12470Y/7200 -- 480Y/277 Volts.						
150 kVA	MS-TN Transformers, Inc	\$5,800.00	NO	BID	NO	BID
225 kVA	MS-TN Transformers, Inc	\$7,100.00	NO	BID	NO	BID
300 kVA	MS-TN Transformers, Inc	\$8,500.00	NO	BID	NO	BID
500 kVA	MS-TN Transformers, Inc	\$12,500.00	NO	BID	NO	BID
750 kVA	MS-TN Transformers, Inc	\$14,500.00	NO	BID	NO	BID
1000 kVA	MS-TN Transformers, Inc	\$16,500.00	NO	BID	NO	BID
1500 kVA	MS-TN Transformers, Inc	\$23,500.00	NO	BID	NO	BID
2500 kVA	MS-TN Transformers, Inc	\$27,000.00	NO	BID	NO	BID

Item Description	LOW BID	1st Alternate	2nd Alternate
Four Phase Terminal Facility and Cabinet EPAC 3105MSZ Controller, 1F 4014, 1F 4001A, 1Type EL/02-ST Pole Mount Cabinet, EDI SSM12.	Temple, Inc.	NO	NO
Eight Phase Terminal Facility and Cabinet EPAC 3105MSZ Controller, 1F 4008, 1F 4001A, 1Type EL/04-ST Pole Mount Cabinet, EDI SSM12.	Temple, Inc.	NO	NO
Eight Phase Terminal Facility and Cabinet EPAC 3105MSZ Controller, 1F 4008, 1F 4001A, 1Type EL/12 Base Mount Cabinet, EDI SSM12.	Temple, Inc.	NO	NO
Priority Control Products			
Four Channel Phase Selector	Temple, Inc.	NO	NO
Two Channel Phase Selector	Temple, Inc.	NO	NO
Single Channel Single Eye Optical Detector	Temple, Inc.	NO	NO
Single Channel Double Eye Optical Detector	Temple, Inc.	NO	NO
Two Channel Double Eye Optical Detector	Temple, Inc.	NO	NO
Shelf Mounted Phase Selector Card	Temple, Inc.	NO	NO
Optical Emitter System	Temple, Inc.	NO	NO
Glance Priority Cabinet Control Unit	Temple, Inc.	NO	NO
Glance Priority Control Vehicle Unit	Temple, Inc.	NO	NO
Traffic Signals (Polycarbonate Vehicle Signals (Must be Eagle Brand W/Lumination GT-1 LEDs)			
SA101A 12" Signal Section Signal	Temple, Inc.	NO	NO
SA102D 12" Two Section Play Signal	Temple, Inc.	NO	NO
SA102E 12" Two Section Play Signal with Turn Arrows	Temple, Inc.	NO	NO
SA103A 12" Three Section Signal	Temple, Inc.	NO	NO
SA103C 12" Three Section Signal With Turn Arrows	Temple, Inc.	NO	NO
SIG104N 12" Four Section Inverted "T"	Temple, Inc.	NO	NO
SIG104N 12" Four Section Poly Head	Temple, Inc.	NO	NO
SIG105H 12" Five Section Cluster	Temple, Inc.	NO	NO
Pedestrian Signal Head (With Daylight Countdown Pedestrian Signals Included)			
12" X 12" Aluminum Head	Temple, Inc.	NO	NO
12" X 12" Polycarbonate Head	Temple, Inc.	NO	NO
16" X 18" Polycarbonate Head	Temple, Inc.	NO	NO
Traffic Signal Mounting Hardware (or Pelco Equivalent)			
SE5050 Tether Clamp (Tri-Stud)	Temple, Inc.	NO	NO
SE5058-06 Extended Tether Assembly	Temple, Inc.	NO	NO
Tri-Stud One Way Mounting (SE5089)	Temple, Inc.	NO	NO
Tri-Stud Two Way Mounting (SE5063+SE5061)	Temple, Inc.	NO	NO
Tri-Stud Three Way Mounting (SE5063+SE5094)	Temple, Inc.	NO	NO
Tri-Stud Four Way Mounting (SE5063+SE5097)	Temple, Inc.	NO	NO
FR1JPY Polycarbonate Side Of Pole Mount	Temple, Inc.	NO	NO
Inverted "T" Span Wire Hardware	Temple, Inc.	NO	NO
5 Section Cluster Hardware Assembly (SE-5165)	Temple, Inc.	NO	NO

Jan - June 2018

Starkville Utilities Traffic Light Equipment

Backplates and Miscellaneous									
BK-1003 - Backplate For SA103A	Temple, Inc.	\$50.00	NO	BID	NO	BID	NO	BID	BID
BK-1004 - Backplate For SA104A	Temple, Inc.	\$62.00	NO	BID	NO	BID	NO	BID	BID
BK-1005 - Backplate For 5 Section Cluster	Temple, Inc.	\$116.00	NO	BID	NO	BID	NO	BID	BID
BK-2027 - Inverted "T" Back Plate	Temple, Inc.	\$113.00	NO	BID	NO	BID	NO	BID	BID
SE-2005 - Pedestrian Push Button	Temple, Inc.	\$42.00	NO	BID	NO	BID	NO	BID	BID
Two-Wire Pushbutton Station (9"x15" sign) with Special Message Prerecorded	Temple, Inc.	\$469.00	NO	BID	NO	BID	NO	BID	BID
Two-Wire Pushbutton Station Control Unit	Temple, Inc.	\$2,139.00	NO	BID	NO	BID	NO	BID	BID
Four-Wire Pushbutton Station (9"x15" with Special Message Prerecorded)	Temple, Inc.	\$619.00	NO	BID	NO	BID	NO	BID	BID
Four-Wire Pushbutton Station Control Unit	Temple, Inc.	\$295.00	NO	BID	NO	BID	NO	BID	BID
R920 RRFB Pedestrian Activated Warning System (Solar)	Temple, Inc.	\$4,589.00	NO	BID	NO	BID	NO	BID	BID
Uninterruptible Power Supply with Cabinet	Temple, Inc.	\$7,679.00	NO	BID	NO	BID	NO	BID	BID
AI-500-050 Field Communications Monterey Controller Shelf Mount	Temple, Inc.	\$2,625.00	NO	BID	NO	BID	NO	BID	BID
AI-500-080 Communications Monterey Controller Rack Mount	Temple, Inc.	\$2,825.00	NO	BID	NO	BID	NO	BID	BID
Devices for Actuated Cabinet Assemblies									
Siemens EPAC 3108M52, 8 Phase NEMA Controller	Temple, Inc.	\$1,655.00	NO	BID	NO	BID	NO	BID	BID
Siemens EPAC 3108M60 ATC Eight Phase NEMA Controller	Temple, Inc.	\$3,634.00	NO	BID	NO	BID	NO	BID	BID
EDI SSM-6LEC - Six Channel NEMA Conflict Monitor	Temple, Inc.	\$624.00	NO	BID	NO	BID	NO	BID	BID
EDI SSM-12LEC - 12 Channel NEMA Conflict Monitor	Temple, Inc.	\$695.00	NO	BID	NO	BID	NO	BID	BID
EDI MMU16-EIP Sixteen Channel NEMA Conflict Monitor	Temple, Inc.	\$826.00	NO	BID	NO	BID	NO	BID	BID
EDI PS-175 NEMA TS-1 Rack Power Supply	Temple, Inc.	\$172.00	NO	BID	NO	BID	NO	BID	BID
PDC SSS-86-3 Load Switch	Temple, Inc.	\$19.50	NO	BID	NO	BID	NO	BID	BID
810 NEMA Two Circuit Flasher	Temple, Inc.	\$20.00	NO	BID	NO	BID	NO	BID	BID
EDI LMD-301 Single Channel Shelf Mount Inductive Loop Monitor	Temple, Inc.	\$90.00	NO	BID	NO	BID	NO	BID	BID
EDI LMD-302 Two Channel Shelf Mount Inductive Loop Monitor	Temple, Inc.	\$179.00	NO	BID	NO	BID	NO	BID	BID
EDI LMD-304 Four Channel Shelf Mount Inductive Loop Monitor	Temple, Inc.	\$292.00	NO	BID	NO	BID	NO	BID	BID
EDI Oracle-S1E Single Channel Shelf Mount Inductive Loop Monitor	Temple, Inc.	\$199.00	NO	BID	NO	BID	NO	BID	BID
EDI Oracle-S2E Two Channel Shelf Mount Inductive Loop Monitor	Temple, Inc.	\$346.00	NO	BID	NO	BID	NO	BID	BID
EDI Oracle 4H Four Channel Rack Mount LCD Inductive Loop Monitor	Temple, Inc.	\$285.00	NO	BID	NO	BID	NO	BID	BID
EP160 NEMA Panel Flasher Assembly with SPA100 Arrestor	Temple, Inc.	\$319.00	NO	BID	NO	BID	NO	BID	BID
EP160 Panel Flasher Assembly with Time Clock	Temple, Inc.	\$642.00	NO	BID	NO	BID	NO	BID	BID
AF-213 Solid State Cube Flasher	Temple, Inc.	\$65.00	NO	BID	NO	BID	NO	BID	BID
Par 335 Flash Relay	Temple, Inc.	\$22.00	NO	BID	NO	BID	NO	BID	BID
EDCO Products									
SRA16C Loop Arrestor	Temple, Inc.	\$12.00	NO	BID	NO	BID	NO	BID	BID
SRA63 Remote Input Arrestor	Temple, Inc.	\$20.00	NO	BID	NO	BID	NO	BID	BID
SHP300-10 Main Line Arrestor	Temple, Inc.	\$44.00	NO	BID	NO	BID	NO	BID	BID
SPA303 Load Switch Arrestor	Temple, Inc.	\$32.00	NO	BID	NO	BID	NO	BID	BID
AP340 Arrestor	Temple, Inc.	\$81.00	NO	BID	NO	BID	NO	BID	BID
Pelco Products									
AB105-24 Astro-Brac For Signs	Temple, Inc.	\$90.00	NO	BID	NO	BID	NO	BID	BID
AB105-30 Astro-Brac For Signs	Temple, Inc.	\$93.00	NO	BID	NO	BID	NO	BID	BID
B116 Astro-Brac	Temple, Inc.	\$108.00	NO	BID	NO	BID	NO	BID	BID
AB109 Astro-Brac For Five Section Signal	Temple, Inc.	\$198.00	NO	BID	NO	BID	NO	BID	BID
SP5116 Astro-Brac For Inverted "T"	Temple, Inc.	\$243.00	NO	BID	NO	BID	NO	BID	BID
AB116-4 Astro-Brac for Four Section Signal	Temple, Inc.	\$126.00	NO	BID	NO	BID	NO	BID	BID

Jan - June 2018

Starkville Utilities Traffic Light Equipment

Miscellaneous Products									
Quazite PC 1212 Concrete Junction Boxes	Temple, Inc.	\$190.00	NO	BID	NO	BID	NO	BID	BID
TC4008 8x8x6 Pull Box	Temple, Inc.	\$121.00	NO	BID	NO	BID	NO	BID	BID
Quazite PC1324HA Concrete Pull Box	Temple, Inc.	\$324.00	NO	BID	NO	BID	NO	BID	BID
Quazite PB40581224B24 Concrete Cabinet Base	Temple, Inc.	\$1,035.00	NO	BID	NO	BID	NO	BID	BID
LED Signal Modules... MUST MEET OR EXCEED 2005 ITE (OE Lumination Only)									
8 in. Red Ball. (433-1110-003XL)	Temple, Inc.	\$46.00	NO	BID	NO	BID	NO	BID	BID
8 in. Yellow Ball. (433-3130-901XL)	Temple, Inc.	\$69.00	NO	BID	NO	BID	NO	BID	BID
8 in. Green Ball. (433-2020-001XL)	Temple, Inc.	\$68.00	NO	BID	NO	BID	NO	BID	BID
12 in. Red Ball. 15 Year Warranty	Temple, Inc.	\$46.00	NO	BID	NO	BID	NO	BID	BID
12 in. Yellow Ball. 15 Year Warranty	Temple, Inc.	\$50.00	NO	BID	NO	BID	NO	BID	BID
12 in. Green Ball. 15 Year Warranty	Temple, Inc.	\$47.00	NO	BID	NO	BID	NO	BID	BID
12 in. Red Arrow. 15 Year Warranty	Temple, Inc.	\$51.00	NO	BID	NO	BID	NO	BID	BID
12 in. Yellow Arrow. 15 Year Warranty	Temple, Inc.	\$55.00	NO	BID	NO	BID	NO	BID	BID
12 in. Green Arrow. (432-2324-001XOD)	Temple, Inc.	\$52.00	NO	BID	NO	BID	NO	BID	BID
16" x 18" Countdown Pedestrian Signal (430-5479-001X)	Temple, Inc.	\$136.00	NO	BID	NO	BID	NO	BID	BID
16" x 18" Hand and Person Pedestrian Signal (430-6450-001X)	Temple, Inc.	\$142.00	NO	BID	NO	BID	NO	BID	BID
12" x 12" Countdown Pedestrian Signal (430-7773-001X)	Temple, Inc.	\$106.00	NO	BID	NO	BID	NO	BID	BID
16" x 18" Hand and Person Pedestrian Signal (430-6772-001X)	Temple, Inc.	\$100.00	NO	BID	NO	BID	NO	BID	BID
Cables									
Seven conductor #14CU. STD. Signal Cable	NO	BID	NO	BID	NO	BID	NO	BID	BID
#138 Optical Detector Cable	Temple, Inc.	\$0.52	NO	BID	NO	BID	NO	BID	BID
Type LMR240 -- TC240NMC 1/4" Superflex Coaxial 3' Jumper	Temple, Inc.	\$38.00	NO	BID	NO	BID	NO	BID	BID
Type LMR600 1/2" Coax (Price per Ft)	NO	BID	NO	BID	NO	BID	NO	BID	BID
Technical Assistance Per Day For (1) IMSA certified Technician									
Per Day Cost To City	Temple, Inc.	\$1,000.00	NO	BID	NO	BID	NO	BID	BID
Per Mile Cost To City	Temple, Inc.	\$1.00	NO	BID	NO	BID	NO	BID	BID
Radio Equipment & Software									
Astron Corporation RS3A Power Supply	Temple, Inc.	\$58.00	NO	BID	NO	BID	NO	BID	BID
MDS9810 Spread Spectrum Radio	Temple, Inc.	\$1,965.00	NO	BID	NO	BID	NO	BID	BID
Kathrein Scala TY-900 YAGI Antenna	Temple, Inc.	\$165.00	NO	BID	NO	BID	NO	BID	BID
Poly Phasor IS50NX-C2 Arrester	Temple, Inc.	\$53.00	NO	BID	NO	BID	NO	BID	BID
Controler to Radio Cable (Connector)	Temple, Inc.	\$48.00	NO	BID	NO	BID	NO	BID	BID
Complete Intersection Radio System	Temple, Inc.	\$3,029.00	NO	BID	NO	BID	NO	BID	BID
Tactics-Marc Software for Use with Eagle Controllers	Temple, Inc.	\$11,789.00	NO	BID	NO	BID	NO	BID	BID

Solar Power Flashing Beacons						
Carmanah R247C Single Beacon Flasher	Temple, Inc.	\$1,915.00	NO	BID	NO	BID
Carmanah R247C Dual Beacon Flasher	Temple, Inc.	\$3,210.00	NO	BID	NO	BID
Carmanah R829 Single Beacon School Zone Flasher	Temple, Inc.	\$2,730.00	NO	BID	NO	BID
Carmanah R829 Dual Beacon School Zone Flasher	Temple, Inc.	\$3,787.00	NO	BID	NO	BID
Wireless Detector Equipment						
Sensys Networks, AP240, S Access Point with Mounting Bracket	Temple, Inc.	\$1,655.00	NO	BID	NO	BID
Sensys Networks APCC-M, Access Point Module with Two APCC-ACC-1 Isolators and Two APCC-SPP Radios with Mounting Brackets	Temple, Inc.	\$3,755.00	NO	BID	NO	BID
Sensys Networks RP240-BH-LL, Long Life Repeater with Mounting Bracket	Temple, Inc.	\$1,440.00	NO	BID	NO	BID
Sensys Networks, CC240, 4 Channel Contact Closure Card	Temple, Inc.	\$655.00	NO	BID	NO	BID
Sensys Networks, EX240, 4 Channel Extension Card	Temple, Inc.	\$391.00	NO	BID	NO	BID
Sensys Networks, VSN240-F, Flush Mounted Sensor	Temple, Inc.	\$548.00	NO	BID	NO	BID
Sensys Networks, CC-ACC, Accessbox for Contact Closure Card	Temple, Inc.	\$151.00	NO	BID	NO	BID
CAT5E Ethernet Patch Cable, Snagless, Black, 4 ft.	Temple, Inc.	\$7.15	NO	BID	NO	BID
CAT5E Ethernet Patch Cable, Snagless, Black, 2 ft.	Temple, Inc.	\$5.75	NO	BID	NO	BID
Fabric 450 MLT Pour-Pac Epoxy Cat # 10-PP-450 with M-SM-750 Large Pour Tube	Temple, Inc.	\$69.00	NO	BID	NO	BID
Out of Ground Detection Equipment						
MSSEDCO Radar Intersector with Astro Brac Included	Temple, Inc.	\$3,949.00	NO	BID	NO	BID
MSSEDCO 4 Output Detector Card	Temple, Inc.	\$415.00	NO	BID	NO	BID
MSSEDCO ESX Unit Card	Temple, Inc.	\$535.00	NO	BID	NO	BID
MSSEDCO Install Kit	Temple, Inc.	\$135.00	NO	BID	NO	BID
ITERIS EDGE2-2N Detector Card	Temple, Inc.	\$3,375.00	NO	BID	NO	BID
ITERIS CAM-R24 Wide Dynamic Range Camera with Bracket	Temple, Inc.	\$1,439.00	NO	BID	NO	BID
ITERIS Arrester Panel	Temple, Inc.	\$65.00	NO	BID	NO	BID
ITERIS Lens Adjustman Module	Temple, Inc.	\$1,335.00	NO	BID	NO	BID
ITERIS Multi Detection (Video + Radar) Detector with Mounting Bracket	Temple, Inc.	\$4,289.00	NO	BID	NO	BID
ITERIS Multi Detection Card	Temple, Inc.	\$1,969.00	NO	BID	NO	BID
LED Illuminated Street Name Signs						
18" x 48" Single Sided	Temple, Inc.	\$1,475.00	NO	BID	NO	BID
18" x 60" Single Sided	Temple, Inc.	\$1,600.00	NO	BID	NO	BID
18" x 72" Single Sided	Temple, Inc.	\$1,869.00	NO	BID	NO	BID
18" x 96" Single Sided	Temple, Inc.	\$2,145.00	NO	BID	NO	BID
24" x 48" Single Sided	Temple, Inc.	\$1,549.00	NO	BID	NO	BID
24" x 60" Single Sided	Temple, Inc.	\$1,689.00	NO	BID	NO	BID
24" x 72" Single Sided	Temple, Inc.	\$1,952.00	NO	BID	NO	BID
24" x 96" Single Sided	Temple, Inc.	\$2,269.00	NO	BID	NO	BID

ANNOUNCEMENTS AND COMMENTS:

MAYOR'S COMMENTS:

Mayor Spruill recognized the Starkville Lady Yellowjackets as the 2016 – 2017 Class 6A State Basketball Champions. Coach Christie Williams and several players were in attendance.

Mayor Spruill then announced that Alderman Roy A'. Perkins had qualified to run for 14th District Chancery Court Judge and wished him well. Alderman Perkins then noted the counties covered by the 14th District.

BOARD OF ALDERMEN COMMENTS: None

CITIZEN COMMENTS:

Alvin Turner, Ward 7, noted the December 5 and December 19 City meetings were not shown on the local cable channel as usual and asked that meetings be shown on the cable channel for those that are unable to attend. He also reported the light at Industrial Park Road goes out when cars pass.

Chris Taylor, invited all to participate in the January 15, 2018 MLK events. Breakfast will be at The Mill followed by a Day of Service and concluding with a 2:00 P.M. March ending at Unity Park.

PUBLIC APPEARANCES: None

PUBLIC HEARING: None

12. CONSIDERATION OF APPROVAL OF FY 2017-18 SALARY ADJUSTMENTS.

Alderman and Budget Chairman Sistrunk presented FY 2017-18 salary adjustments for employees identified in Phase 1 that resulted from the pay study. The purpose of the study was for Starkville to be in line with other similar cities. The Fire, Street and Sanitation departments were adjusted in the previous term. No tax or rate increase will be needed for the implementation of this plan. \$150,000 was included in the FY 18 budget and will be adjusted to the various departments if the plan is adopted.

Alderman Sistrunk offered a motion to approve FY 2017 – 2018 salary adjustments for officers and employees of the City of Starkville, MS as presented by the City's Human Resource Director to the Mayor and Board of Aldermen during their regular meeting on January 2, 2018, with the following conditions:

1. Adjustments in Phase I take effect in the pay period beginning January 5, 2018;
2. Adjustments in Phase II relating to Non-Department Heads take effect in the pay period beginning July 5, 2018;
3. Adjustments in Phase II relating to Department Heads take effect in the pay period beginning October 3, 2018;
4. The officers and employees of the City continue their employment pursuant to this new salary structure in accordance with Miss. Code §§21-3-3, 21-3-5, 21-15-3 and 21-15-41, pending subsequent action by the Board of Aldermen; and
5. Nothing in this motion shall create, or intends to create, any interest in the jobs and positions of the municipality other than what is allowed by law, and that all municipal employees remain at-will employees subject to the hiring and firing authority of the Starkville Board of Aldermen.

Alderman Carver offered a second to the motion and the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea

Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Yea
Alderman Henry Vaughn, Sr.	Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion passed.

13. CONSIDERATION OF THE CITY OF STARKVILLE CLAIMS DOCKET FOR ALL DEPARTMENTS INCLUDING STARKVILLE UTILITIES DEPARTMENT AS OF DECEMBER 28, 2017 FOR FISCAL YEAR ENDING 9/30/18.

Upon the motion of Alderman Walker, duly seconded by Alderman Carver, to approve the City of Starkville Claims Docket for all departments as of December 28, 2017 for fiscal year ending 9/30/18, acknowledging that the City Clerk has attested and certified on the record, to be placed in the Minutes of this meeting, that all claims on the docket are true, accurate, lawful, and proper for payment pursuant to her duties under Miss. Code Sections 21-39-5, 21-39-7, 21-39-9, 21-39-17 and 21-15-21 to the best of her knowledge, the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Nay
Alderman Henry Vaughn, Sr.	Voted: Nay

Having received a majority affirmative vote, the Mayor declared the motion passed.

General Fund	001	\$ 447,258.44
Airport Fund	015	38,061.36
Restricted Airport	016	4,389.95
Sanitation	022	23,600.06
Landfill	023	6,456.49
Industrial Park Bond	303	10,496.30
Capital Improvement Projects	319	14,852.00
Sub Total Before Utilities		\$ 545,114.60
Utilities Dept.	SED	690,972.08
Total Claims	Total	\$ 1,221,334.57

14. A MOTION TO ENTER INTO A CLOSED SESSION TO DETERMINE IF THERE IS PROPER CAUSE FOR EXECUTIVE SESSION.

There came for consideration the matter of entering a closed session to determine if there is a proper cause for executive session. Upon the Motion of Alderman Little, seconded by Alderman Vaughn, to enter into a Closed Session to determine if there is proper cause for Executive Session, the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea

Alderman Roy A'. Perkins Voted: Yea
Alderman Henry Vaughn, Sr. Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion passed.
The Board entered closed session.

15. A MOTION TO ENTER EXECUTIVE SESSION FOR THE PURPOSE OF DISCUSSION OF THE SPECIFIC JOB PERFORMANCE OF AN EMPLOYEE IN THE PARKS DEPARTMENT AND AN EMPLOYEE IN THE POLICE DEPARTMENT.

Alderman Sistrunk offered a motion to enter Executive Session for the purpose of discussion of the specific job performance of an employee in the Parks Department and an employee of the Police Department on a finding that the proposed topics qualified for Executive Session. Following a second by Alderman Little, the Board voted as follows to enter Executive Session:

Alderman Ben Carver Voted: Yea
Alderman Sandra Sistrunk Voted: Yea
Alderman David Little Voted: Yea
Alderman Jason Walker Voted: Yea
Alderman Patrick Miller Voted: Yea
Alderman Roy A'. Perkins Voted: Yea
Alderman Henry Vaughn, Sr. Voted: Yea

Having received an affirmative vote, the Mayor declared the motion passed.

The Mayor invited the public back in, and after allowing the public time to enter the room, made the announcement of the Board's decision to enter into Executive Session for the purpose of discussion of the specific job performance of an employee in the Parks Department and an employee of the Police Department on a finding that the proposed topics qualified for Executive Session.

At this time, the Board entered Executive Session.

16. A MOTION TO RETURN TO OPEN SESSION.

Upon the motion of Alderman Vaughn, duly seconded by Alderman Little, to return to Open Session, the Board voted as follows:

Alderman Ben Carver Voted: Yea
Alderman Sandra Sistrunk Voted: Yea
Alderman David Little Voted: Yea
Alderman Jason Walker Voted: Yea
Alderman Patrick Miller Voted: Yea
Alderman Roy A'. Perkins Voted: Yea
Alderman Henry Vaughn, Sr. Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion passed.

The Mayor invited the public back in and then announced that the Board had taken action in Executive Session. The Board Attorney then read the two motions passed in Executive Session.

17. A MOTION TO TERMINATE THE EMPLOYMENT OF THE PARK DIRECTOR.

Upon the motion of Alderman Perkins, duly seconded by Alderman Little, that the City terminate the employment of Herman Peters, effective immediately, and that the Human Resources Director, IT Director and Chief of Police take any and all necessary steps to effectuate the termination, the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Yea
Alderman Henry Vaughn, Sr.	Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion passed.

18. A MOTION TO PLACE POLICE DISPATCHER LATICE FISHER ON ADMINISTRATIVE LEAVE WITHOUT PAY.

Upon the motion of Alderman Perkins, duly seconded by Alderman Vaughn, that the City place Police Dispatcher Latice Fisher on administrative leave without pay effective immediately, the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Yea
Alderman Henry Vaughn, Sr.	Voted: Yea

Having received a majority affirmative vote, the Mayor declared the motion passed.

19. MOTION TO RECESS UNTIL JANUARY 16, 2018 @ 5:30 IN THE COURT ROOM AT CITY HALL LOCATED AT 110 WEST MAIN STREET.

Upon the motion of Alderman Vaughn, duly seconded by Alderman Sistrunk, for the Board of Aldermen to recess the meeting until January 16, 2018 @ 5:30 at 110 West Main Street in the Court Room of City Hall, the Board voted as follows:

Alderman Ben Carver	Voted: Yea
Alderman Sandra Sistrunk	Voted: Yea
Alderman David Little	Voted: Yea
Alderman Jason Walker	Voted: Yea
Alderman Patrick Miller	Voted: Yea
Alderman Roy A'. Perkins	Voted: Yea
Alderman Henry Vaughn, Sr.	Voted: Yea

Having received a majority affirmative vote, Mayor Spruill declared the motion passed.

SIGNED AND SEALED THIS THE _____ DAY OF _____ 2018.

Attest:

D. LYNN SPRUILL, MAYOR

LESA HARDIN, CITY CLERK

(SEAL)